

**RT-11**  
**March 1982**  
**AD-C740C-25**

**THE  
SOFTWARE  
DISPATCH**

**digital**

## RT-11 SOFTWARE DISPATCH

Published by  
Corporate Administrative Systems Group, Software Services  
Digital Equipment Corporation  
P.O. Box F  
Maynard, MA 01754

The RT-11 Software Dispatch complements the RT-11 Software Dispatch Review. New and revised Software Product Descriptions, programming notes, software problems and solutions, and documentation corrections are published here. Much of the material is developed from Software Performance Report (SPR) answers significant to the general audience and is printed here to supplement the maintenance notebook (established by the Software Dispatch Review).

### PRODUCTS SUPPORTED in the RT-11 SOFTWARE DISPATCH

BASIC-11/RT-11 V2  
CTS-300 V6  
DECnet-RT V1.1  
FMS-11/RT-11 V1.1  
FORTRAN GRAPHICS  
PACKAGE V1.1

FORTRAN/RT-11 LAB Extensions V1  
FORTRAN IV/RT-11 V2.5  
GAMMA-11 F/B V3  
LSP-11 V1.1  
MSB11 V1  
MSB/FORTRAN IV V1

MU BASIC-11/RT-11 V2  
PLOT 11/RT-11 V1.1  
RT-11 V4  
RT-11 2780/3780  
Protocol Emulator V4  
SSP-11 V1.2

### DISTRIBUTION

The RT-11 Software Dispatch is directed to one software contact for each software product. No mailing will be made to addresses without a software contact name. **Address change requests should be sent to the nearest DIGITAL field office. Include the new address and mailing label from the most recently received publication.**

Software binary and sources are provided under licenses only. The standard Terms and Conditions, OEM Agreement, and/or Quantity Discount Agreement contain the licenses for all binaries other than DECsystem-10.

**Eleanor F. Hunter, Editor**  
**Ann Owens, Associate Editor**

Copyright © 1982 Digital Equipment Corporation

The material in this document is for information purposes only and is subject to change without notice. Digital Equipment Corporation assumes no responsibility for any errors which may appear in this document. Comments on the contents of this publication should be directed to your local DIGITAL Field Office.

TRADEMARKS of DIGITAL EQUIPMENT CORPORATION  
Maynard, Massachusetts

DEC  
DECUS  
DIGITAL LOGO  
DECnet  
DECsystem-10  
DECSYSTEM-20

DECwriter  
DIBOL  
EDUssystem  
IAS  
MASSBUS  
PDP

PDT  
RSTS  
RSX  
UNIBUS  
VAX  
VMS  
VT

TABLE OF CONTENTS

	SEQ. NO.	PAGE
SPR USER LETTER		1
MU BASIC V2.1		
MU BASIC V2.1 MAINTENANCE RELEASE AVAILABLE		3
GAMMA-11 V3.1		
TRNFER		
TRANSFER STUDY IN SELECTIVE STEP MODE	49.8.1 F	5
DOCUMENTATION		
GAMMA-11 DOCUMENTATION CORRECTIONS AND ADDITIONS	49.10.1 N	7
BASIC SUPPORT ROUTINES		
ERRORS IN THE BASIC SUPPORT ROUTINES GPLR AND GPF	49.12.2 M	9
FORTRAN SUPPORT ROUTINES		
ERROR IN FORTRAN SUPPORT SUBROUTINE GPMP	49.13.1 M	11
ERRORS IN THE FORTRAN SUPPORT ROUTINES GPLR AND GPF	49.13.2 M	13
RT-11 CUMULATIVE INDEX		17
DIGITAL EQUIPMENT COMPUTER USERS SOCIETY (DECUS)		27

PRODUCT AVAILABILITY DATES - RT-11

MARCH 1982

The following are dates products have become available. Customers who are in warranty or have a Software Product Service contract during the month the product became available are eligible to receive the update. Customers who are eligible and have not received the update should contact their local Digital office.

Autopatch is distributed to Software Product Service Basic contract customers and to Self-Maintenance contract customers who have selected this option. Autopatch will be installed for DECsupport contract customers as part of their Preventive Maintenance.

<u>PRODUCT</u>	<u>VERSION</u>	<u>AVAILABLE</u>
LSP-11	1.2	NOV 81
SSP-11	1.3	NOV 81
RT-11 AUTOPATCH	D	NOV 81

## SPR USER LETTER

Submitted by Sheila Hatchell, 8/11 Administration

The Dispatch SPR User Letter has been revised to reflect the new SPR form which is now available. These forms can be obtained from your local DIGITAL Office or SPR Center, or by requesting them from SPR Administration.

### How to Make the Best Use of the SPR Form

#### What We Can Do for You:

1. Blank SPR forms are returned with each SPR acknowledgement and are available upon request in the desired quantities through the SPR Administration (P.O. Box F) and your local office/SPR Center.
2. Copies of the SPR acknowledgement and answer are sent to the appropriate DIGITAL Office/SPR Center for their information.
3. STATUS FOR SUBMITTED SPRs IS PROVIDED UPON REQUEST.
4. SPRs marked PROBLEM/ERROR will have a response for DIGITAL SUPPORTED products. These SPRs should refer to suspected deficiencies in the software.
5. SPRs marked SUGGESTION are forwarded to the pertinent software group for information purposes, and are responded to at their discretion.

#### What You Can Do for Us:

1. Fill out the form completely either by typing or printing clearly. **PLEASE INCLUDE YOUR SOFTWARE SERVICE CUSTOMER NUMBER IN THE ADDRESS BOX.**
2. Limit only one problem per SPR form. Several problems on an SPR can lengthen the turnaround time.
3. WHENEVER POSSIBLE, SUBMIT AN SPR WITH ATTACHMENTS, SUCH AS MACHINE READABLE DATA, DETAILED INSTRUCTIONS ON HOW TO REPRODUCE THE PROBLEM, PROGRAM AND/OR DATA FILES, LISTINGS, AND CONSOLE LOG.
4. It would be helpful to all concerned if problems with patches are reported as soon as possible.
5. For security SPRs, it is imperative that the DO NOT PUBLISH box be marked.
6. It would be helpful if tapes submitted with SPRs are labeled (track and density), and have a directory attached.
7. Complete the questionnaire that is supplied with each SPR answer. Your feedback is essential in monitoring the quality of our responses.
8. SPRs should not be used for problems concerning software policy, software distribution, or hardware. The local office should be contacted in these cases.

RT-11 Software Dispatch, March 1982

MUBASIC V2.1

1 of 1

MUBASIC V2.1 MAINTENANCE RELEASE AVAILABLE (WA)

MUBASIC/RT-11 Version 2.1 is a maintenance update of the software to incorporate a large number of source code patches and to enhance the documentation. This is a repackaging update effort only and no new features or functionality have been added. However, some minor performance enhancements were made by the engineers during the project.

MUBASIC/RT11 is the multiuser version of BASIC-11 which supports one to four users on PDP-11/03, LSI-11, or PDT-11/150 systems. For this release, the Installation Procedures and the Release Notes were rewritten to assist field personnel during installation. All known patches have been incorporated as source changes which makes V2.1 slightly smaller than a fully patched V2.0. In addition, future patches to MUBASIC V2.1 will be included on RT-11 AUTOPATCH kits.

GAMMA-11 V3.1  
TRNFER

Seq. 49.8.1 F  
1 of 2

TRANSFER STUDY IN SELECTIVE STEP MODE (SPR 11-42930 KMW)

Transferring studies from magnetic tape in selective step mode requires the user to verify each individual study transfer after having already selected the index numbers of the studies to be transferred. This feature patch will allow the user to bypass verification of each study transfer. All studies selected will be copied from the magnetic tape without further user input. Note: the feature patch will disable the R (rewind and start again) command while in the selective step mode.

1. The following is a feature patch to the TRNFER.SAV utility program. Note: Since patching the distribution medium is not recommended, the patch must be applied to a copy of the distribution.

DO NOT PATCH THE DISTRIBUTION DISK

2. This patch is installed using SIPP, the Save Image Patching Program.

Using an editor, create the file, TRNFER.001, as follows. Replace 'DK:' in the patch below with the name of the device that contains the file, TRNFER.SAV.

```

R SIPP
DK:TRNFER.SAV/C
0
14300
14
420
^Z                (UP-Arrow/Z)
22
12700
6
104432
5767
3630
1010
12701
40363
10100
104420
5767
3620
1034
407
^Z                (UP-Arrow/Z)
60
21123
^Z                (UP-Arrow/Z)
64
12700

```

GAMMA-11 V3.1  
TRNFER

See. 49.8.1 F  
2 of 2

24404  
104420  
403  
^Y (UP-Arrow/Y)  
11644  
^C

3. To apply the patch to TRNFER.SAV type:

@TRNFER.001



GAMMA-11 DOCUMENTATION CORRECTIONS AND ADDITIONS (SPR 11-42848 KMW)

This article describes corrections and additions to the GAMMA-11 SYSTEM REFERENCE MANUAL. It is intended to supplement the material contained in Table 2-2 and Table 3-4.

In Table 2-2 (Save Area Descriptor Block) on page 2-12, and Table 3-4 (Save Area Descriptor Block) on page 3-8, the description of the variable STYPE is listed as follows:

STYPE	Data type indicator (in low byte)
	0 = no data in save area
	1 = matrix data
	200 = dynamic curves

The value "200" in that description refers to an octal 200. When accessing this data with the subroutines GSVG or GSVP, the decimal value 128 is used.

The description of the variable STYPE should read:

STYPE	Data type indicator (in low byte)
	0 = no data in save area
	1 = matrix data
	200 (octal) = dynamic curves
	128 (decimal) = dynamic curves

ERRORS IN THE BASIC SUPPORT ROUTINES GPLR AND GPF  
(SPR 11-42842,11-42849 KMW)

The following errors have been corrected in the BASIC support subroutines:

- o The subroutine, GPLR, returns a time mark for each list mode element that is a multiple of 256(decimal), regardless of the actual list mode data contained in that element.
- o When the subroutine, GPF, closes a patient study, it fails to clear the read only flag set by GPFR. Subsequent attempts to write to a save area file with the routine GSAW will prove unsuccessful.
- 1. The following is a required patch to the BASIC.SAV program (previously modified in Sec 49.12.1). It must be installed in all copies of the program.

NOTE: Since patching the distribution medium is not recommended, the patch must be installed every time you copy the program from the distribution medium.

DO NOT PATCH THE DISTRIBUTION DISK

- 2. This patch is installed using SIPP, the Save Image Patching Program. First, ensure that a copy of the file BASIC.SAV is on a mounted volume. Using an editor, create the file, BASIC.002 with the contents given below. Replace 'DK!' in the patch below with the name of the device that contains the program file.

```
RUN SIPP
DK:BASIC.SAV/C
0
6000
32
3004
1401
455
5701
1453
12703
15000
20023
3042
2402
20113
```

GAMMA-11 V3.1  
BASIC SUPPORT ROUTINES

Seq. 49.12.2 M  
2 of 2

```
^Z                (UP-ARROW/Z)
62
5301
10146
42701
377
301
42700
177400
300
50001
12700
14756
61001
10167
6146
4767
174530
103404
4767
174512
^Z                (UP-ARROW/Z)
132
174536
42716
177400
6316
12702
15432
62602
402
5037
14234
^Z                (UP-ARROW/Z)
430
650
^Y                (UP-ARROW/Y)
076577
^C                (UP-ARROW/C)
```

3. To apply the patch to BASIC.SAV type:  
@BASIC.002
4. Save the new version of BASIC.SAV on a backup volume.

ERROR IN FORTRAN SUPPORT SUBROUTINE GPMP (KMW)

\*\*REPLACEMENT ARTICLE\*\*

NOTE: This patch replaces the one published in the RT-11 Software Dispatch, December 1981. The corrections made to the original article have been marked with a change bar (|).

If a Fortran program uses the subroutine GPMP to read values from the same frame in different studies the same value is returned for all of the studies.

To correct this problem follow the procedure below using a copy of the distribution disk.

DO NOT USE THE DISTRIBUTION DISK

1. Create the patch file FOR001.PAT with the contents given below:

```
        .TITLE F4BAJ BASIC AND FORTRAN SUPPORT
        .IDENT /V3.1/
;
BEGIN=,
;
.=BEGIN+1740 |
        JSR PC,PATCH1
;
        .PSECT $$PAT1
PATCH1:
        MOV #14,,R3 |
        MOV #-1,OLDBLK
        RTS PC
;
        .CSECT IMPUR1 |
;
OLDBLK =.+364
;
        .END
```

2. Assemble the file using the command

```
MAC FOR001.PAT
```

3. Patch the object module using the command lines

```
.R PAT
*GMFOR1=GMFOR1/C:126063,FOR001/C:014473 |
*^C
```

GAMMA-11 V3.1  
FORTRAN SUPPORT ROUTINES

Seq. 49.13.1 M  
2 of 2

Supersedes article dated December 1981

If an error message is printed then an error has been made in applying the patch and the procedure must be repeated from step 1 above using a new copy of the file GMFOR1.OBJ from the distribution disk.

4. Re-link any Fortran programs which are linked with GMFOR1.OBJ.

1

ERRORS IN THE FORTRAN SUPPORT ROUTINES GPLR AND GPF  
(SPR 11-42842,11-42849 KMW)

The following errors have been corrected in the FORTRAN support subroutines:

- o The subroutine GPLR returns a time mark for each list mode element that is a multiple of 256(decimal), regardless of the actual list mode data contained in that element.
- o When the subroutine GPF closes a patient study, it fails to clear the read only flag set by GPFR. Subsequent attempts to write to a save area file with the subroutine GSAW will prove unsuccessful.
- 1. The following patch is a required patch to the module GMFOR1.OBJ (previously modified in Seq 49.13.1). It must be installed in all copies of the module.

NOTE: Since patching the distribution medium is not recommended the patch must be installed every time you copy the module from the distribution medium.

DO NOT PATCH THE DISTRIBUTION DISK

GAMMA-11 V3.1  
 FORTRAN SUPPORT ROUTINES

Seq. 49.13.2 M  
 2 of 3

2. To install the patch, first create a patch file for input to the PAT utility. Using an editor, create the file FOR002.PAT with the contents given below:

```

        .TITLE F4BAS BASIC AND FORTRAN SUPPORT
        .IDENT /V3.1/
;
S=,
;
.=S+1602
2$:    JMP     PATCH2
        NOP
.=S+1610
RET:
;
.=S+1656
        NOP
;
.=S+2146
        JSR     PC,PATCH3
;
        .PSECT $$PAT2
PATCH2: DEC     R1
        MOV     R1,-(SP)
        BIC     #377,R1
        JMP     RET
;
PATCH3: CLR     SAVE2
        CLR     RDNLY
        RTS     PC
;
        .CSECT IMPUR1
R=,
RDNLY=R+332
SAVE2=R+452
;
        .END

```

3. Assemble the file using the command

```
.MACRO FOR002.PAT
```

GAMMA-11 V3.1  
FORTRAN SUPPORT ROUTINES

See. 49.13.2 M  
3 of 3

4. Patch the object module using the following command lines:

NOTE: Make a copy of GMFOR1.OBJ before you patch in case  
an error occurs.

```
.R PAT  
*GMFOR1=GMFOR1/C:135525,FOR002/C:020352
```

If an error message is printed, then an error has been made  
in applying the patch. The patching procedure must be repeated  
from step 1 above using a new copy of the module GMFOR1.OBJ  
(patched through See 49.13.1).

5. Re-link any Fortran programs which are linked with the  
module, GMFOR1.OBJ.



RT-11 V4.0  
CUMULATIVE INDEX  
MARCH 1982

This is a complete listing of all articles for RT-11 V4.0 and related products. In the case of subordinate software, missing sequence numbers may pertain to problems unique to interaction with previous versions of the same product or other major operating systems.

IMPORTANT!

Unassigned articles are indicated: UNASSIGNED.

Flags are currently being installed for all articles. The flags and definitions are as follows:

M = Mandatory Patch. These patches correct errors in the software product. All users are required to apply these patches to maintain consistent "user level" unless the accompanying article specifies otherwise.

F = Optional Feature Patch. These patches extend or configure functionality into the product. These functions will be treated as a supported part of the product for the duration of the current release and will be incorporated with any future release, unless otherwise stated.

R = Restriction. These articles discuss areas that will not be patched in the current release because they require major modification or because they are not consistent with the design of the product. Restrictions, except those described as permanent, are reviewed and modified when possible as part of the normal release cycle.

N = NOTE. These articles provide explanatory information that supplements the manual set and provide more detailed information about a program or package. They also provide procedural information to make it easier to use a program or package.

+ = Articles appeared in the RT-11 Software Dispatch Review, March 1980.

\*The "Autopatch Kit" column in the list which follows indicates the first RT-11 V4.0 Autopatch Kit in which the associated patch was included. Unless otherwise indicated, the patches also appear in subsequent Autopatch Kits as well. Note that Autopatch Kit "D" is the latest kit available from the SDC.

<u>Component</u>	<u>Autopatch Kit</u>	<u>Sequence</u>	<u>Mon/Yr</u>
RT-11 V4.0			
MONITOR PATCHES			
ISSUING .SETTOP #-2 AND .EXIT UNDER XM MONITOR MAY			
CORRUPT SYSTEM DISK	A	1.1.1 M	Jul 80
IMPLEMENTING INTERNAL HANDLER QUEUEING IN FB AND XM MONITORS	A	1.1.2 M	Jul 80
ADDING HIGH SPEED RING BUFFER SUPPORT	A	1.1.3 M	Jul 80
CORRUPTION OF CSI TEXT UNDER XM MONITOR	A	1.1.4 M	Jul 80
MISSING COLON IN BOOT XX CAUSES SYSTEM HALT	A	1.1.5 M	Jul 80
TYPING ^U WHILE IN A ^X SEQUENCE UNDER A SYSTEM JOB	A	1.1.6 M	Sep 80
ABNORMAL TERMINATION OF FG JOB WHICH IS USING CSI	A	1.1.7 M	Nov 80
MISCELLANEOUS MRRT-11 BUGS	A	1.1.8 M	Nov 80
MRRT-11 MINIMAL FILE SUPPORT PROBLEM	A	1.1.9 M	Nov 80
INCORRECT LIMIT CHECKS ON PRIVILEGED BACKGROUND JOBS USING			
VIRTUAL OVERLAYS	A	1.1.10 M	Nov 80
MULTI-TERMINAL MONITORS DON'T ALWAYS PROCESS CTRL/F PROPERLY	A	1.1.11 M	Nov 80
MONITOR CHANGES AND CORRECTIONS	A	1.1.12 M	Dec 80
MONITOR CORRECTIONS	B	1.1.13 M	Jan 81
MONITOR UPDATES	B	1.1.14 M	Feb 81
ABORT I/O IN PROGRESS HANDLER BIT	B	1.1.15 M	Apr 81
CORRECTIONS FOR DISTRIBUTED AND SYSTEM GENERATED MONITORS	C	1.1.16 M	Jun 81
PRINT COMMAND RESTRICTION		1.1.17 R	Jul 81
UPDATES TO MONITOR FILES	D	1.1.18 M	Oct 81
CORRECTIONS TO THE MONITOR		1.1.19 M	Jan 82

<u>Component</u>	<u>Autopatch Kit</u>	<u>Sequence</u>	<u>Mon/Yr</u>
<u>DEVICE HANDLER SOURCES</u>			
<u>DEVICE HANDLER NOTES</u>			
RLO2s AT REV. LEVEL "F" FAIL DURING RT-11 SYSGEN		6.1.1 N	Oct 80
<b>DD.MAC</b>			
DD PRIMARY BOOTSTRAP PROBLEM	A	6.4.1 M	Jul 80
<b>DL.MAC</b>			
PATCH XM VERSION OF DL HANDLER .SPFUN GET SIZE ROUTINE	A	6.5.1 M	Dec 80
ERRORS ON RLO1 DISK DRIVES AFTER DISK PACKS ARE CHANGED	B	6.5.2 M	Jan 81
<b>DM.MAC</b>			
ERRORS IN DM OFFSET POSITIONING AND ERROR LOGGING	A	6.6.1 M	Jul 80
<b>DY.MAC</b>			
DELETED DATA MARK MAY BE LOST IF BUFFER STARTS ON PAR BOUNDARY	D	6.11.1 M	Aug 81
<b>LP.MAC</b>			
LP SET NOHANG MAY CRASH SYSTEM	A	6.12.1 M	Sep 80
<b>LS.MAC</b>			
LS SET NOHANG MAY CRASH SYSTEM	A	6.13.1 M	Sep 80
PROBLEMS WITH LS HANDLER	B	6.13.2 M	Jan 81
USING AN LA120 TERMINAL AS A LINE PRINTER WITH THE LS HANDLER		6.13.3 N	Jul 81
SET LS NOHANG IS CURRENTLY INOPERATIVE	C	6.13.4 M	Jul 81
RACE CONDITION IN LS HANDLER	D	6.13.5 M	Aug 81
LS HANDLER SET "NOHANG" PROBLEM		6.13.6 M	Jan 82
<b>PD.MAC</b>			
CORRECTION TO PDT ERROR LOGGING SUPPORT	B	6.16.1 M	Apr 81
<b>MAG TAPE HANDLERS</b>			
BUFFER CLEARING ON SHORT READ IN XM MONITOR	A	6.20.1 M	Jul 80
LINKING AN XM, NON-FILESTRUCTURED TS HANDLER GENERATES AN UNDEFINED GLOBAL	A	6.20.2 M	Aug 80
INCORRECT READ ERROR RECOVERY IN MT HANDLER	A	6.20.3 M	Sep 80
TS-11 DOES NOT RECOVER FROM SOFT ERROR ON WRITE EOF	C	6.20.4 M	Jul 81
<u>SYSTEM UTILITIES</u>			
<u>PIP.SAV</u>			
ERRORS IN PIP	A	7.1.1 M	Sep 80
COPY/PREDELETE COMMAND		7.1.2 N	Sep 80
MATCHING FILE SPECIFICATIONS ERRORS	B	7.1.3 M	Feb 81
COPY/BINARY/WAIT AND LOG HEADER PROBLEMS	B	7.1.4 M	Apr 81
COPY/PREDELETE AND COPY/NOREPLACE WORK INCORRECTLY WITH /WAIT	C	7.1.5 M	Jun 81
ERROR WITH RENAME/NOREPLACE	C	7.1.6 M	Jul 81
/POSITION:N SWITCH FOR MAGTAPE INPUT WORKS INCORRECTLY		7.1.7 M	Oct 81
COPY/BINARY STOPS PROCESSING AFTER ENCOUNTERING AN OBJ LIBRARY FILE		7.1.8 M	Nov 81
COPYING FILES TO UNINITIALIZED DISKS		7.1.9 N	Nov 81
ALLOCATE AND DELETE WORK INCORRECTLY WITH COPY OPERATIONS		7.1.10 M	Feb 82
<b>DUP.SAV</b>			
MISSING COLON IN BOOT XX CAUSES SYSTEM HALT	A	7.2.1 M	Jul 80
SQUEEZE CREATES <UNUSED> ENTRIES OF LENGTH ZERO BEFORE .BAD FILES	A	7.2.2 M	Aug 80
PROBLEMS WITH COPY/DEVICE AND INITIALIZE	A	7.2.3 M	Dec 80
BOOTSTRAPPING AN UNPATCHED MONITOR FROM A PATCHED SYSTEM	B	7.2.4 N	Jan 81
.SPFUN RETURN BUFFER PROCESSED INCORRECTLY FOR RK06/7	B	7.2.5 M	Jan 81
USE OF INITIALIZE/RESTORE ON MEDIA SUPPORTING BAD BLOCK REPLACEMENT		7.2.6 N	May 81
PROBLEMS WITH INIT/BAD AND COPY/DEVICE	C	7.2.7 M	May 81
PROBLEMS WITH INITIALIZE COMMAND	C	7.2.8 M	Jun 81
ATTEMPT TO RESTORE UNCLOSED TENTATIVE FILES FAILS	C	7.2.9 M	Jul 81
/V WITH NO DEVICE SPECIFICATION GIVES WRONG ERROR MESSAGE	D	7.2.10 M	Sep 81
OUTPUT ERROR DURING COPY/DEVICE TO MAGTAPE CAUSES SYSTEM ERROR		7.2.11 M	Oct 81
USE OF COPY/DEV/FILE WITHOUT FILE SPECIFICATION		7.2.12 M	Nov 81

<u>Component</u>	<u>Autopatch Kit</u>	<u>Sequence</u>	<u>Mon/Yr</u>
<b>DIR.SAV</b>			
DIR/OUT COMMAND PRODUCES DEVICE NOT ACTIVE MESSAGE	A	7.3.1 M	Jul 80
DIR/VOL GIVES ?MON-F-TRAP TO 4	A	7.3.2 M	Dec 80
LOSS OF LAST PRINT CHARACTER IN DIRECTORY LISTING	D	7.3.3 M	Sep 81
<b>RESORC.SAV</b>			
RESORC MAY REPORT INCORRECT JOB NAMES ON A SHOW JOBS COMMAND	A	7.5.1 M	Aug 80
ADD CIS DETECTION CAPABILITY TO RESORC	B	7.5.2 M	May 81
PROBLEM WITH IDENTIFYING 11/23 PROCESSOR	D	7.5.3 M	Sep 81
<b>LINK.SAV</b>			
LINK BYTE RELOCATION AND DIRECTORY SIZE	A	7.9.1 M	Jul 80
LINK MAP PROCESSING ERROR	A	7.9.2 M	Aug 80
LINK MAP ERROR AND MULTIPLE DEFINITION LIBRARIES	A	7.9.3 M	Oct 80
RT-11 V4 LINKER RESTRICTION	B	7.9.4 R	Jan 81
LINK TRANSFER ADDRESS CALCULATION BUGS	B	7.9.5 M	Mar 81
LINK ADDITIONS AND CORRECTIONS	D	7.9.6 M	Aug 81
LINK UPGRADE		7.9.7 M	Nov 81
LINK ERROR IN LIBRARY MODULE TRANSFER ADDRESS PROCESSING		7.9.8 M	Jan 82
LINK LIBRARY MODULE PLACEMENT ERROR		7.9.9 M	Jan 82
<b>LIBR.SAV</b>			
A LIBR COMMAND WITH NO FILE-SPEC CAN CAUSE A SYSTEM CRASH	A	7.10.1 M	Jul 80
LIBR ERRORS	C	7.10.2 M	Jul 81
LIBR CORRUPTS FORM LIBRARY DIRECTORY	C	7.10.3 M	Jun 81
LIBR ERROR IN GENERATING ENTRY POINT TABLE		7.10.4 M	Jan 82
LIBR RESTRICTION		7.10.5 N	Jan 82
<b>FILEX.SAV</b>			
FILEX WILDCARD TRANSFERS CAUSE MONITOR TRAP	A	7.11.1 M	Aug 80
FILEX CREATES ZERO FILLED INTERCHANGE RECORDS	A	7.11.2 M	Sep 80
SIZE CALCULATION PROBLEM IN FILEX	D	7.11.3 M	Aug 81
RECORDS DROPPED BY FILEX	D	7.11.4 M	Sep 81
<b>SRCCOM.SAV</b>			
COMPARING TWO FILES MAY CAUSE TRAP TO 4	A	7.12.1 M	Aug 80
BLANK LINE COMPARISON FOR SLIDING MATCH	A	7.12.2 M	Dec 80
<b>BINCOM.SAV</b>			
BINCOM GENERATES ERRONEOUS ERROR MESSAGE	B	7.13.1 M	Apr 81
ERRONEOUS DOUBLE PRECISION CALCULATION IN BINCOM	C	7.13.2 M	Jun 81
BINCOM PLACES TAB CHARACTER AFTER OFFSET IN SIPP COMMAND FILE		7.13.3 M	Jan 82
<b>DUMP.SAV</b>			
BLOCK NUMBERS OUTPUT FROM DUMP	D	7.14.1 M	Aug 81
<b>SLP.SAV</b>			
TERMINATION OF PATCHING SESSION WITH SLP FATAL ERRORS	A	7.15.1 M	Nov 80
SLP GENERATES FATAL ERROR TRAP	B	7.15.2 M	Jan 81
SLP ERROR	B	7.15.3 M	Mar 81
<b>SIPP.SAV</b>			
CORRUPTION OF MULTI-BLOCK LOG FILES	A	7.16.1 M	Jul 80
<b>PAT.SAV</b>			
USE OF THE PAT UTILITY WITH RT-11 V3B PATCHES		7.17.1 N+	Mar 80
<b>HELP.SAV</b>			
PROBLEMS WITH HELP UTILITY	A	7.19.1 M	Nov 80
<b>EDIT.SAV</b>			
EDIT MISHANDLES OUTPUT FILE FULL ERROR	B	7.20.1 M	Nov 81
<b>SYSTEM SUBROUTINE LIBRARY (SYSLIB)</b>			
<b>SYSLIB.OBJ</b>			
PATCH TO ICSI	A	8.1.1 M	Oct 80
IASIGN REDEFINITIONS	A	8.1.2 M	Oct 80
ILUN RESTRICTION		8.1.3 R	Feb 81
VIRTUAL OVERLAY HANDLER CORRECTION		8.1.4 M	Feb 82

<u>Component</u>	<u>Autopatch Kit</u>	<u>Sequence</u>	<u>Mon/Yr</u>
<u>SYSTEM MACRO LIBRARY</u>			
.SPFUN PROGRAMMED REQUEST	A	9.1.1 M	Dec 80
ABORT I/O PROGRESS SUPPORT FOR SYSMAC	B	9.1.2 M	Apr 81
.CMKT PROGRAMMED REQUEST	C	9.1.3 M	Jun 81
<u>SYSTEM GENERATION PACKAGE</u>			
SYSGEN CREATES ONE MORE DEVICE SLOT THAN REQUESTED	A	10.3.1 M	Dec 80
ASSEMBLY ERROR AFTER SYSGEN	B	10.3.2 M	Mar 81
<u>DOCUMENTATION</u>			
<u>RT-11 SYSTEM RELEASE NOTES</u>			
RT-11 V4.0 DOCUMENTATION CORRECTIONS AND ADDITIONS		11.2.1 N	Jul 80
DOCUMENTATION CORRECTIONS		11.2.2 N	Aug 80
CHANGES TO DUP /I OPTION		11.2.3 N	Apr 81
INCORRECT DUP CUSTOMIZATION PATCHES		11.2.4 N	Sep 81
<u>RT-11 INSTALLATION AND SYSTEM GENERATION GUIDE</u>			
RT-11 V4.0 DOCUMENTATION CORRECTIONS AND ADDITIONS		11.3.1 N	Jul 80
CORRECTION TO AN OPTIONAL PATCH TO LINK		11.3.2 N	Aug 80
DOCUMENTATION ERROR: REFERENCE TO RLO2 OMITTED FROM SYSGEN DIALOGUE		11.3.3 N	Oct 80
INCORRECT LINK MAPS FOR DISTRIBUTED MONITORS		11.3.4 N	Dec 80
INCORRECT PATCH FOR CHANGING QUEUE WORK FILE SIZE		11.3.5 N	Dec 80
CHANGING DEFAULT NUMBER OF DIRECTORY SEGMENTS		11.3.6 N	Apr 81
<u>INTRODUCTION TO RT-11</u>			
RT-11 V4.0 DOCUMENTATION CORRECTIONS AND ADDITIONS		11.4.1 N	Jul 80
<u>RT-11 SYSTEM USER'S GUIDE</u>			
RT-11 DOCUMENTATION CORRECTIONS AND ADDITIONS		11.5.1 N	Jul 80
CORRECTIONS TO SLP CHAPTER: RT-11 SYSTEM USER'S GUIDE		11.5.2 N	Oct 80
DIFFERENCES BETWEEN DEVICE COPYING COMMANDS		11.5.3 N	Dec 80
<u>RT-11 SYSTEM MESSAGE MANUAL</u>			
RT-11 V4.0 DOCUMENTATION CORRECTIONS AND ADDITIONS		11.6.1 N	Jul 80
CORRECTIONS TO SLP MESSAGES IN "RT-11 SYSTEM MESSAGE MANUAL"		11.6.2 N	Nov 80
NEW SLP ERROR MESSAGE		11.6.3 N	Feb 81
PIP ERROR MESSAGES MISSING		11.6.4 N	Oct 81
<u>RT-11 POCKET GUIDE</u>			
RT-11 V4.0 DOCUMENTATION CORRECTIONS AND ADDITIONS		11.7.1 N	Jul 80
<u>RT-11 PROGRAMMER'S REFERENCE MANUAL</u>			
DOCUMENTATION CORRECTIONS		11.8.1 N	Sep 80
INCORRECT PROGRAMMED REQUEST EXAMPLES		11.8.2 N	Mar 81
UNDOCUMENTED .SERR ERROR CODE		11.8.3 N	Dec 81
<u>RT-11 SOFTWARE SUPPORT MANUAL</u>			
RT-11 V4.0 DOCUMENTATION CORRECTIONS AND ADDITIONS		11.9.1 N	Jul 80
SOFTWARE SUPPORT MANUAL CORRECTION		11.9.2 N	Jun 81
ERROR IN DESCRIPTION OF .DRSET MACRO		11.9.3 N	Sep 81
<u>DEBUGGING UTILITIES</u>			
<u>VDT.OBJ</u>			
NOTES ON USING ODT OR VDT IN AN XM ENVIRONMENT		12.2.1 N	Jan 81
<u>BATCH PACKAGE</u>			
<u>BATCH.SAV</u>			
PATCH BATCH TO USE MONITOR SUFFIX	A	15.1.1 M	Oct 80
<u>SPOOLING PACKAGE</u>			
<u>QUEUE.REL</u>			
SUPERFLUOUS LINEFEED FROM QUEUE	B	16.1.1 M	Mar 81
NARROW BANNER PAGES FROM QUEUE	C	16.1.2 F	May 81
/R FOLLOWING /S IF NO OUPUT QUEUED MAY CAUSE FATAL ERROR IN QUEUE	D	16.1.3 M	Aug 81
<u>QUEMAN.SAV</u>			
PROBLEMS WITH QUEMAN	B	16.2.1 M	Jan 81

<u>Component</u>	<u>Autopatch Kit</u>	<u>Sequence</u>	<u>Mon/Yr</u>
<u>KEYPAD EDITOR</u>			
<u>KED</u>			
MAKE TERMINAL SETUP OPTIONAL IF MTATCH FAILS	A	17.1.1 F	Aug 80
PROVIDE A .CHAIN INTERFACE FOR KED	A	17.1.2 F	Aug 80
PROVIDE REASONABLE ACTIONS AND ERROR MESSAGES WHEN DEALING WITH DEGENERATE FILES	A	17.1.3 M	Oct 80
SEARCH FAILS IF TARGET IF FIRST OR LAST STRING IN THE FILE	A	17.1.4 M	Nov 80
KNOWN ERRORS AND RESTRICTIONS		17.1.5 R	Dec 80
"SET SEARCH EXACT JUNK" COMMAND CRASHES KED	C	17.1.6 M	Jul 81
REPEATED USE OF THE "APPEND" FUNCTION CRASHES KED	C	17.1.7 M	Dec 81
DISABLE REVERSE VIDEO DISPLAY BY KED	C	17.1.8 F	Jul 81
FILE SAMPLE.KED OMITTED FROM DISTRIBUTION		17.1.9 N	Aug 81
KED DOCUMENTATION CORRECTION		17.1.10 N	Nov 81
<u>K52</u>			
MAKE TERMINAL SETUP OPTIONAL IF MTATCH FAILS	A	17.2.1 F	Aug 80
PROVIDE A .CHAIN INTERFACE FOR K52	A	17.2.2 F	Aug 80
PROVIDE REASONABLE ACTIONS AND ERROR MESSAGES WHEN DEALING WITH DEGENERATE FILES	A	17.2.3 M	Oct 80
SEARCH FAILS IF TARGET IS FIRST OR LAST STRING IN THE FILE	A	17.2.4 M	Nov 80
KNOWN ERRORS AND RESTRICTIONS		17.2.5 R	Dec 80
"SET SEARCH EXACT JUNK" COMMAND CRASHES K52	C	17.2.6 M	Jul 81
REPEATED USE OF THE "APPEND" FUNCTION CRASHES K52	C	17.2.7 M	Dec 81
NO EQUIVALENT PATCH FOR K52 FOR SEQ 17.1.8		17.2.8 N	Aug 81
FILE SAMPLE.KED OMITTED FROM DISTRIBUTION		17.2.9 N	Aug 81
KED DOCUMENTATION CORRECTION		17.2.10 N	Dec 81
<u>AUTOMATED PATCHING FACILITY PACKAGE</u>			
<u>PACKAGE NOTES</u>			
AUTOPATCH SERVICE FOR RT-11		19.1.1 N	Jun 81
<u>FMS-11/RT-11 V1.1</u>			
ANNOUNCING FMS-11/RT-11 V1.1		33.1 N	Aug 80
FRED V1.1			
ZERO IMPURE AREA SIZE PROBLEM		33.3.1 M	Sep 81
<u>BASIC-11/RT-11 V2.0</u>			
<u>INTERPRETER</u>			
REPLICATION OF PATCHES		35.1.1 N+	Mar 80
PRINT USING - PATCH A	A	35.1.2 M+	Mar 80
RESEQ - PATCH B	A	35.1.3 M+	Mar 80
EDITING A DIM #n STATEMENT - PATCH C	A	35.1.4 M+	Mar 80
DOUBLE PRECISION HANG - PATCH D	A	35.1.5 M+	Mar 80
SAVE dev: AND REPLACE dev: - PATCH E	A	35.1.6 M+	Mar 80
SINGLE PRECISION HANG AND NUMERIC CONVERSION PROBLEM - PATCH F	A	35.1.7 M+	Mar 80
SAVE .XXX & UNSAVE .XXX - PATCH G	A	35.1.8 M+	Mar 80
NEW - PATCH H	A	35.1.9 M+	Mar 80
RESEQ - PATCH I	A	35.1.10 M+	Mar 80
LISTNH / OLD - PATCH J	A	35.1.11 M+	Mar 80
SYS(1) - PATCH K	A	35.1.12 M+	Mar 80
CALL - PATCH L	A	35.1.13 M+	Mar 80
DOUBLE PRECISION INTEGER VARIABLES - PATCH M	A	35.1.14 M+	Mar 80
FILESIZE 0 - PATCH N	A	35.1.15 M+	Mar 80
INTEGERS IN DOUBLE PRECISION BASIC-11		35.1.16 N+	Mar 80
REM STATEMENTS ON MULTI-STATEMENT LINES - PATCH O	A	35.1.17 M+	Mar 80
INT FUNCTION - PATCH P FOR SINGLE USER BASIC-11	A	35.1.18 M	Nov 80
RETRACTED		35.1.19 M	May 81
PRINT USING - PATCH R FOR SINGLE USER BASIC-11	B	35.1.20 M	Jan 81
OMITTING TRIG FUNCTIONS FROM BASIC-11	B	35.1.21 N	Jan 81
STRING CONCATENATION - PATCH S FOR SINGLE USER BASIC-11	B	35.1.22 M	Mar 81
PROBLEM WITH BASIC-11 PATCH Q		35.1.23 N	May 81
<u>UTILITIES</u>			
CONVERSION PROGRAM		35.2.1 M+	Mar 80
BASIC-11/RT-11 V2 CONVERSION PROGRAM PATCH 1		35.2.2 M+	Mar 80

<u>Component</u>	<u>Autopatch Kit</u>	<u>Sequence</u>	<u>Mon/Yr</u>
<b>DOCUMENTATION</b>			
OVERLAYING WHILE IN A SUBROUTINE		35.3.1 R+	Mar 80
OPERATION OF CTRLC, RCTRLC AND SYS(6) FUNCTIONS AND THE CTRL/C COMMAND		35.3.2 N+	Mar 80
OPERATION OF OLD, RUN, CHAIN, AND OVERLAY WHEN THE SPECIFIED FILE IS NOT FOUND		35.3.3 N+	Mar 80
CREATING AND ACCESSING VIRTUAL ARRAY FILES		35.3.4 N+	Mar 80
STORAGE OF THE NULL CHARACTER IN STRING VARIABLES AND VIRTUAL STRING ARRAYS		35.3.5 N+	Mar 80
USE OF COMPILE COMMAND		35.3.6 N+	Mar 80
STRING MANIPULATION IN ASSEMBLY LANGUAGE ROUTINES		35.3.7 N+	Mar 80
MAXIMUM ARRAY SUBSCRIPT SIZE		35.3.8 N+	Mar 80
NEW MANUAL AVAILABLE FOR BASIC-11/RT-11		35.3.9 N	May 81

MU BASIC-11/RT-11 V2.0

**INTERPRETER**

CHAINING WITH COMMON - PATCH A		36.1.1 M+	Mar 80
VIRTUAL FILE I/O - PATCH B		36.1.2 M+	Mar 80
SYS(1,n) FUNCTION - PATCH C		36.1.3 M+	Mar 80
RESEQ - PATCH D		36.1.4 M+	Mar 80
VALUES IN PATCHES A, B, C		36.1.5 N+	Mar 80
LISTNH / OLD - PATCH E		36.1.6 M+	Mar 80
CALL - PATCH F		36.1.7 M+	Mar 80
DOUBLE PRECISION INTEGER VARIABLES - PATCH G		36.1.8 M+	Mar 80
INPUT #/PRINT # - PATCH H		36.1.9 M+	Mar 80
OLD OF A ZERO BLOCK FILE - PATCH I		36.1.10 M+	Mar 80
ADDITION TO PATCH B - PATCH J		36.1.11 M+	Mar 80
DEVICE MNEMONIC PROBLEM - PATCH K		36.1.12 M+	Mar 80
CLOSE - PATCH L		36.1.13 M+	Mar 80
REM STATEMENTS ON MULTI-STATEMENT LINES - PATCH M		36.1.14 M+	Mar 80
DEASSIGNING A TERMINAL - PATCH N		36.1.15 M+	Mar 80
INTEGERS IN DOUBLE PRECISION MU BASIC-11		36.1.16 N+	Mar 80
USE OF SYS(1,n) FUNCTION WHEN ',n' IS OMITTED - PATCH O		36.1.17 M+	Mar 80
DISABLING CR/LF USING TTYSET - PATCH P		36.1.18 M+	Mar 80
HANDLER FETCH ERROR MAY LEAD TO MONITOR FAULT - PATCH Q		36.1.19 M+	Mar 80
REMOTE LINES - PATCH R FOR MULTI-USER BASIC-11		36.1.20 M	Nov 80
INT FUNCTION - PATCH S FOR MULTI-USER BASIC-11		36.1.21 M	Nov 80
PRINT USING - REVISED PATCH T FOR MULTI USER BASIC-11		36.1.22 M	Apr 81
RETRACTED		36.1.23 MM	Jan 81
OMITTING TRIG FUNCTIONS FROM MU BASIC-11		36.1.24 N	Jan 81
SYS(1) FUNCTION - PATCH V FOR MULTI USER BASIC-11		36.1.25 M	Jan 81
STRING CONCATENATION - PATCH W FOR MULTI USER BASIC-11		36.1.26 M	Mar 81
CARD READER EOF - PATCH X FOR MULTI USER BASIC-11		36.1.27 M	May 81
CLOSE GIVES ILLEGAL FILES SPEC - PATCH Y FOR MULTI USER BASIC-11		36.1.28 M	May 81
TTSET GIVES TRAP TO 10 - MU BASIC PATCH Z		36.1.29 M	May 81
PROBLEM WITH MU BASIC-11 PATCH U		36.1.30 N	Jul 81

**UTILITIES**

MU BASIC-11/RT-11 V2 CONFIGURATION PROGRAM PATCH 1		36.2.1 M+	Mar 80
MU BASIC-11/RT-11 V2 CONVERSION PROGRAM		36.2.2 F+	Mar 80

**DOCUMENTATION**

OPERATION OF CTRLC, RCTRLC AND SYS(6) FUNCTIONS AND THE CTRL/C COMMAND		36.3.1 N+	Mar 80
MEMORY REQUIREMENTS OF OPTIONAL FUNCTIONS, ETC.		36.3.2 N+	Mar 80
OPERATION OF OLD, RUN, CHAIN AND OVERLAY WHEN THE SPECIFIED FILE IS NOT FOUND		36.3.3 N+	Mar 80
CREATING AND ACCESSING VIRTUAL ARRAY FILES		36.3.4 N+	Mar 80
STORAGE OF THE NULL CHARACTER IN STRING VARIABLES AND VIRTUAL STRING ARRAYS		36.3.5 N+	Mar 80
USE OF COMPILE COMMAND		36.3.6 N+	Mar 80
STRING MANIPULATION IN ASSEMBLY LANGUAGE ROUTINES		36.3.7 N+	Mar 80
ERROR IN TABLE 4-1 OF THE USER'S GUIDE		36.3.8 N+	Mar 80
RESTRICTION ON USR RESIDENCY WHEN RUNNING IN FOREGROUND		36.3.9 N+	Mar 80
MAXIMUM ARRAY SUBSCRIPT SIZE		36.3.10 N+	Mar 80
ASSEMBLING SOURCE FILES (SOURCE LICENSE HOLDERS ONLY)		36.3.11 N+	Mar 80
USE OF PATCH UTILITY		36.3.12 N+	Mar 80

<u>Component</u>	<u>Autopatch Kit</u>	<u>Sequence</u>	<u>Mon/Yr</u>
MU BASIC-11/RT V2.1			
MU BASIC V2.1 MAINTENANCE RELEASE AVAILABLE			Mar 82
APL-11 V2.0			
PACKAGE NOTES			
APL IS AVAILABLE IN THE DECUS LIBRARY		38.1.1 N	Sep 81
FORTRAN IV/RT-11 V2.1			
COMPILER			
PATCH 1		44.1.1 M+	Mar 80
PATCH 2		44.1.2 M+	Mar 80
PATCH 3		44.1.3 M+	Mar 80
REGISTER ALLOCATION - PATCH 8		44.1.4 M+	Mar 80
FORTRAN FAILS TO COMPILE DO-LOOPS - PATCH 11		44.1.5 M+	Mar 80
COMMON SUBEXPRESSION OPTIMIZATION - PATCH 17		44.1.6 M+	Mar 80
BYTE COMPARISON AND COMMON SUBEXPRESSION OPTIMIZATION - PATCH 20		44.1.7 M+	Mar 80
DIRECT ACCESS READ - PATCH 21		44.1.8 M+	Mar 80
COMPLEX VARIABLE TO CONSTANT COMPARISON - PATCH 22		44.1.9 M+	Mar 80
OTS			
PATCH 4		44.2.1 M+	Mar 80
CARRIAGE CONTROL OPTION - PATCH 5		44.2.2 M+	Mar 80
OPEN FAILURE WITH TYPE='OLD' - PATCH 6		44.2.3 M+	Mar 80
FORTRAN LIBRARY FUNCTION ERRST - PATCH 7		44.2.4 M+	Mar 80
SMALLER EXECUTION-TIME PROGRAMS		44.2.5 N+	Mar 80
FORTRAN OTS - PATCH 9		44.2.6 M+	Mar 80
I/O FROM A FORTRAN COMPLETION ROUTINE - PATCH 10		44.2.7 M+	Mar 80
CALL CLOSE (FORTRAN LIBRARY SUBROUTINE) - PATCH 12		44.2.8 M+	Mar 80
UNFORMATTED BYTE I/O - PATCH 13		44.2.9 F+	Mar 80
LIST DIRECTED INPUT ERRORS - PATCH 14		44.2.10 M+	Mar 80
DISP='DELETE' OPTION - PATCH 15		44.2.11 M+	Mar 80
FORMATTED RECORD OUTPUT - PATCH 16		44.2.12 M+	Mar 80
CALL ASSIGN CARRIAGE CONTROL - PATCH 18		44.2.13 M+	Mar 80
NON-PLAS VIRTUAL ARRAY INITIALIZATION - PATCH 19		44.2.14 M+	Mar 80
DOCUMENTATION			
FORTRAN IV V2.1 MAINTENANCE RELEASE		44.3.1 N+	Mar 80
INSTALLING FORTRAN IV V2.1 UNDER RT-11 V4		44.3.2 N	Aug 80
FORTRAN IV/RT-11 V2.5			
COMPILER			
ANNOUNCING PDP-11 FORTRAN IV/RT-11 V2.5		45.1.1 N	Sep 80
THE COMPILER INCORRECTLY PARSES SOME EXPRESSIONS IN I/O LISTS	A	45.1.2 M	Nov 80
THE COMPILER INCORRECTLY CONVERTS INTEGER TO BYTE IN LOGICAL EXPRESSIONS	A	45.1.3 M	Nov 80
THE COMPILER GENERATES INCORRECT CODE FOR EQUIVALENCED ARRAYS (PAT 12)	D	45.1.4 M	Sep 81
THE COMPILER INCORRECTLY INTERPRETS COMMENTS WITH TABS (PAT 17)		45.1.5 M	Nov 81
MISSING END IN MAIN PROGRAM CAN CAUSE COMPILER CRASH (PAT 18)		45.1.6 M	Nov 81
THE COMPILER INCORRECTLY OPTIMIZES ARRAY ELEMENTS PASSED AS ARGUMENTS (PAT 20)		45.1.7 M	Dec 81
THE COMPILER INCORRECTLY PARSES PARENTHESES IN QUOTED STRINGS (PAT 21)		45.1.8 M	Jan 82
THE COMPILER CRASHES WHILE ACCESSING AN ODD ADDRESS IN PAT 12 (PAT 22)		45.1.9 M	Jan 82
OTS			
THE OTS DOES NOT SET DEFAULT CARRIAGE CONTROL FOR SERIAL LINE PRINTER	B	45.2.1 M	Jan 81
THE LUN IS NOT SAVED WHEN AN ERROR OCCURS WHILE OPENING A FILE PATCH TO ALLOW THE PLACEMENT OF THE FORTRAN OTS WORK AREA BETWEEN THE PROGRAM'S HIGH LIMIT AND THE BASE OF THE FIRST VIRTUAL OVERLAY FOR PRIVILEGED FORTRAN JOBS	B	45.2.2 M	Jul 81
BOUNDARY CONDITION ON FORMATTED I/O CORRUPTS I/O (PAT 6)	B	45.2.3 F	Feb 81
	B	45.2.4 M	Mar 81

<u>Component</u>	<u>Autopatch Kit</u>	<u>Sequence</u>	<u>Mon/Yr</u>
DEFAULT CARRIAGE CONTROL FOR IMPLIED SEQUENTIAL ACCESS FILES (PAT 7)	C	45.2.5 M	Jul 81
STANDALONE FORTRAN YIELDS RUN-TIME ERROR 64 (PAT 8)	B	45.2.6 M	Apr 81
DISPOSE = 'KEEP' NOT RECOGNIZED WITH READONLY OPEN PARAMETER (PAT 9)	C	45.2.7 M	Jul 81
THE DATE ROUTINE DOES NOT PERMIT BYTE ALIGNED PARAMETERS (PAT10)	C	45.2.8 M	Jul 81
IMPLICIT READ FAILURE MAY HALT PROCESSOR (PAT 11)	C	45.2.9 M	Jul 81
FPU DOUBLE PRECISION SINE/COSINE MODULE ERRORS (PAT 13)	D	45.2.10 M	Sep 81
EMBEDDED BLANKS OVERRIDE THE ICNT PARAMETER IN THE ASSIGN ROUTINE		45.2.11 M	Oct 81
THE DEFAULT CARRIAGE CONTROL FOR THE ASSIGN ROUTINE IS INCORRECT		45.2.12 M	Oct 81
CORRECTION FOR UNIT CLOSING (PAT 16)		45.2.13 M	Nov 81
LIST DIRECTED INPUT CONVERSION ERROR (PAT 19)		45.2.14 M	Dec 81
BOUNDARY CONDITION ON FORMATTED I/O CORRUPTS I/O IN PAT 6 (PAT 23)		45.2.15 M	Feb 82
BOUNDARY CONDITION ON FORMATTED I/O BACKSPACE CORRUPTS I/O		45.2.16 M	Feb 82
CORRECTION OF ASSIGN FILENAME HANDLING WHEN ICNT EQUALS ZERO		45.2.17 M	Feb 82

#### GAMMA V3.1

FGAMMA-FRAMES 3 TO 10 OF GSA STUDY SOMETIMES CORRUPT		49.2.1 M	Jul 81
SYSTEM MAY HANG WHEN DISK SQUEEZED		49.2.2 M	Oct 81
STATIC STUDIES ON LARGE DEVICES		49.2.3 M	Jan 82
STATIC STUDY ACQUISITION ON LARGE DEVICES		49.4.1 M	Jan 82
ISOMETRIC DISPLAY IMAGES USE INCORRECT INTENSITY LEVELS		49.5.1 M	Oct 81
SLICE - LAST POINT IS NOT PLOTTED		49.5.2 M	Nov 81
SLICE - <CR>, <LF> NOT ISSUED AFTER PRINTING SLICE DATA		49.5.3 M	Jan 82
TRANSFER STUDY IN SELECTIVE STEP MODE		49.8.1 F	Mar 82
GAMMA-11 DOCUMENTATION CORRECTIONS AND ADDITIONS		49.10.1 N	Mar 82
PATCHING THE RT-11 MONITOR FOR GAMMA-11		49.11.1 M	Nov 81
ERROR IN THE BASIC SUPPORT ROUTINE GPMR		49.12.1 M	Dec 81
ERRORS IN THE BASIC SUPPORT ROUTINES GPLR AND GPF		49.12.2 M	Mar 82
ERROR IN FORTRAN SUPPORT SUBROUTINE GPMR		49.13.1 M	Mar 82
ERRORS IN THE FORTRAN SUPPORT ROUTINES GPLR AND GPF		49.13.2 M	Mar 82

#### DECnet-RT V1.1

NETGEN			
FULL DUPLEX, EXTENDED MEMORY DUP DRIVER WON'T BUILD		50.3.1 M	Aug 80
DDCMP			
DDCMP BRANCH OUT OF RANGE AND Q ELEMENT RETURN PROBLEMS		50.5.1 M	Aug 80
NSP			
NSP CORRUPTS PHYSICAL LINE ERROR CODE		50.6.1 M	Aug 80
NFT			
NFT INCORRECTLY ALLOCATES RT-11 QUEUE ELEMENTS		50.9.1 M	Jun 80
FAL			
FAL INCORRECTLY ALLOCATES RT-11 QUEUE ELEMENTS		50.10.1 M	Jun 80
FAL MAY HANG ON ASCII TRANSFERS OF UNFILLED BLOCKS		50.10.2 M	Aug 80
FAL WILL NOT ALLOW ACCESS COMPLETE AFTER CONTROL CONNECT		50.10.3 M	Aug 80
NFARS			
DAP ROUTINES DO NOT REPORT PHYSICAL LINE ERRORS		50.11.1 M	Nov 80
DAP ATTEMPTS TO MULTIPLY RETURN BUFFERS ON ERROR		50.11.2 M	Aug 80
DAP SEND ONE CHARACTER ON ZERO LENGTH TRANSMITS		50.11.3 M	Nov 80
DAPAST CLEARS THE USER CHANNEL NUMBER TOO SOON		50.11.4 M	Aug 80
FORTRAN USER INTERFACES			
NOTES ON THE USE OF THE DECnet-RT FORTRAN INTERFACES		50.16.1 M	Jun 80



<u>Component</u>	<u>Autopatch Kit</u>	<u>Sequence</u>	<u>Mon/Yr</u>
<b>MACRO USER INTERFACES</b>			
NOTES ON DECnet-RT MACRO PROGRAMMING		50.16.2 N	Jun 80
CTS-300 V6.0			
<b>DBUILD</b>			
CORRECTION FOR THREE DECFORM PROBLEMS		51.2.1 M	Oct 81
<b>DECFORM</b>			
PROBLEM WITH DECFORM AND THE VT100		51.4.1 M	Nov 80
CORRECTION FOR THREE DECFORM PROBLEMS		51.4.2 M	Oct 81
DECFORM WITH VT100 TERMINAL CAUSES BAD CHARACTER ON TYPE-AHEAD		51.4.3 M	Nov 81
<b>DIBOL</b>			
TWO CORRECTIONS TO XCALL PAK/UNPAK		51.5.1 M	Aug 81
<b>DICOMP</b>			
FOUR DICOMP ERRORS FIXED		51.6.1 M	Oct 81
<b>DKED</b>			
TWO PROBLEMS WITH DKED		51.7 M	Aug 80
DKED SELECT/CUT AND KEYPAD ERRORS		51.7.2 M	Sep 80
DKED INCORRECTLY HANDLES CONTINUED LINES		51.7.3 M	Oct 81
<b>ISMUTL</b>			
CORRECTIONS FOR ISAM UTILITY ERRORS		51.8.1 M	Nov 81
<b>LPTSPL</b>			
TSD SPOOLER GETS CONFUSED		51.9.1 M	Nov 80
<b>SORTM</b>			
SORT SENDS MESSAGES INDISCRIMINATELY		51.14.1 M	Jan 81
<b>SUD</b>			
CORRECTIONS TO DIBOL RUN TIME SYSTEMS		51.16.1 M	Jan 81
PROBLEMS WITH XCALL RENAM AND ERROR 6		51.16.2 M	Feb 81
NO ERROR 22 RETURNED		51.16.3 M	Nov 81
DIBOL STACK OVERFLOW ON OPEN		51.16.4 M	Nov 81
PROBLEMS WITH STACK OVERFLOW AND INCREMENT		51.16.5 M	Dec 81
SUD MESSAGES OVER 100 CHARACTERS IN LENGTH ARE NOT RECEIVED CORRECTLY		51.16.6 M	Feb 82
<b>TDIBOL</b>			
PROBLEM WITH XCALL PAK		51.17 M	Aug 80
PROBLEM UNPACKING DATA		51.17.2 M	Sep 80
TWO CORRECTIONS TO XCALL PAK/UNPAK		51.17.3 M	Aug 81
<b>TSD</b>			
CORRECTIONS TO DIBOL RUN TIME SYSTEMS		51.18.1 M	Jan 81
PROBLEMS WITH XCALL RENAM AND ERROR 6		51.18.2 M	Feb 81
INCORRECT TERMINAL WIDTHS AND CIS PROBLEM		51.18.3 M	Aug 81
CORRECTION TO TSD/XMTSD		51.18.4 M	Sep 81
CORRECTION FOR ISAM PROBLEM		51.18.5 M	Oct 81
"SEND" STARTS MULTIPLE JOBS		51.18.6 M	Oct 81
NO ERROR 22 RETURNED		51.18.7 M	Nov 81
DIBOL STACK OVERFLOW ON OPEN		51.18.8 M	Nov 81
PROBLEMS WITH STACK OVERFLOW AND INCREMENT		51.18.9 M	Dec 81
CORRECTION FOR SIDE EFFECTS FROM PATCH 27		51.18.10 M	Feb 82
LINE PRINTER IS SOMETIMES INCORRECTLY CONSIDERED IN USE		51.18.11 M	Feb 82
<b>XMTSD</b>			
CONFLICT BETWEEN XMTSD AND RT-11 OVER CHANNEL 16		51.20 M	Aug 80
CORRECTIONS TO DIBOL RUN TIME SYSTEMS		51.20.2 M	Jan 81
PROBLEMS WITH XCALL RENAM AND ERROR 6		51.20.3 M	Feb 81
PATCH FOR XMTSD WITH CIS		51.20.4 M	Apr 81
INCORRECT TERMINAL WIDTHS AND CIS PROBLEM		51.20.5 M	Aug 81
XMTSD HANGS WHEN LP IS OFF-LINE		51.20.6 M	Sep 81
CORRECTION TO TSD/XMTSD		51.20.7 M	Sep 81

<u>Component</u>	<u>Autopatch Kit</u>	<u>Sequence</u>	<u>Mon/Yr</u>
CORRECTION FOR ISAM PROBLEM		51.20.8 M	Oct 81
"SEND" STARTS MULTIPLE JOBS		51.20.9 M	Oct 81
NO ERROR 22 RETURNED		51.20.10 M	Nov 81
DIBOL STACK OVERFLOW ON OPEN		51.20.11 M	Nov 81
PROBLEMS WITH STACK OVERFLOW AND INCREMENT		51.20.12 M	Dec 81
CORRECTION FOR SIDE EFFECTS FROM PATCH 27		51.20.13 M	Feb 82
LINE PRINTER IS SOMETIMES INCORRECTLY CONSIDERED IN USE		51.20.14 M	Feb 82
<b>DOCUMENTATION</b>			
CTS-300 VERSION 6 IS RELEASED		51.21 N	Aug 80
TWO RT-11 PATCHES MODIFIED FOR CTS-300 USE		51.21.2 N	Oct 80
RT-11 PATCH TO LS.MAC MODIFIED FOR CTS-300 USE		51.21.3 N	Feb 81
ADDITIONS TO CTS-300 DOCUMENTATION ON PRINT UTILITY		51.21.4 N	Mar 81
LIST OF SEQUENCE NUMBERS FOR CTS-300 V6		51.21.5 N	Mar 81
SOME NOTES ON RT-11 PATCH SEQ 6.13.3 M TO LS.MAC FOR CTS-300 USERS		51.21.6 M	Jul 81
SOME NOTES ON RT-11 PATCH SEQ 6.13.4 M TO LS.MAC FOR CTS-300 USERS		51.21.7 N	Aug 81
SOME NOTES ON RT-11 PATCH SEQ 6.13.5 M TO LS.MAC FOR CTS-300 USERS		51.21.8 N	Aug 81
AVOIDING POSSIBLE PROBLEM WITH ISAM FILES		51.21.9 N	Dec 81
SOME NOTES ON RT-11 PATCH SEQ 6.13.6 M TO LS.MAC FOR CTS-300 USERS		51.21.10 N	Feb 82
<b>LS.MAC</b>			
SPECIAL CTS-300 PATCH FOR LS.MAC		51.23.1 M	Feb 81
CORRECTION TO CTS-300 PATCH 11 (SEQ 51.23.1 M) TO LS.MAC		51.23.2 M	Jun 81
<b>SYSTBL.CND</b>			
RT-11 PATCH TO SYSTBL.CND MODIFIED FOR CTS-300 USE		51.25.1 M	Mar 81
RT-11 PATCH SEQ 10.3.2 M TO SYSTBL.CND MODIFIED FOR CTS-300 USE		51.25.2 M	Apr 81
<b>GAMMA-11 V3.0</b>			
<b>BGAMMA/FGAMMA</b>			
PROBLEMS WITH GAMMA-11 V3.0		54.1.1 M	Jun 81
FGAMMA-FRAMES 3 TO 10 OF GSA STUDY SOMETIMES CORRUPT		54.1.2 M	Jul 81
ISOMETRIC DISPLAY IMAGES USE INCORRECT INTENSITY LEVELS		54.1.3 M	Sep 81
SYSTEM MAY HANG WHEN DISK SQUEEZED		54.1.4 M	Oct 81
<b>CTS-300 DICAM (3271) V3.1</b>			
INCORRECT ACK SENT IN CONVERSATIONAL MODE		55.1.1 M	Jul 81
LOOP WHEN CLOSE IS ISSUED WITH OUTSTANDING I/O REQUESTS		55.1.2 M	Jul 81
<b>CTS-300 RDCP (2780/3780) V2.0</b>			
ABNORMAL TERMINATION AND LISTING PROBLEMS		56.1.1 M	Dec 80
SUBSCRIPT ERROR IN RDCP EDITOR		56.1.2 M	Dec 80
MEMORY CORRUPTION PROBLEM		56.1.3 M	Dec 80



## WHY YOU SHOULD JOIN DECUS

- SYMPOSIA
- PROGRAM LIBRARY
- TECHNICAL PUBLICATIONS
- SPECIAL USER GROUPS

DECUS (the Digital Equipment Computer Users Society), a worldwide association of customers and employees, provides a forum for the exchange of useful information, new program packages, and other innovations among those who use and supply the products of Digital Equipment Corporation.

Founded in 1961, DECUS is one of the largest and most active associations of its type in the world. Its objectives are to advance the effective utilization of computers, computer peripheral equipment, and software manufactured and marketed by Digital Equipment Corporation, by promoting the interchange of information concerning their uses; advance the art of computation through mutual education and exchange of ideas of information; establish standards and provide channels to facilitate the exchange of computer programs among DECUS members; provide feedback to the computer industry on equipment and software needs; and to reduce the duplication of development efforts.

DECUS membership is free—upon application—to owners of DIGITAL computers and to their computer-interested employees. Membership carries important benefits and opportunities; among them are access to the program library; membership in local, regional, and national organizations; invitations to symposia dedicated to optimal use of DIGITAL equipment; opportunity to present papers and workshops on your own new ideas; and, finally, access to special interest groups dedicated to particular uses, languages, operating systems, and hardware configurations.

The program library maintained by DECUS contains over 1700 active software packages written and submitted by members and DIGITAL employees, and available to members for the media fee and reproduction cost only. Programs in the library range from enhanced editors and cross compilers to statistics packages and games. Of particular interest to college and university customers, for example, might be a package of programs for registration, class scheduling, dormitory management, and annual giving records. A laboratory user could take advantage of various statistical packages, or programs that perform Fourier transforms or least squares fitting. There are programs for circuit analysis, resonance simulation, blood-count evaluation, and stress testing, and scores of others which medical, scientific, or engineering customers could employ. Business people can find accounting packages, data analysis and

payroll programs among the library's offerings. In addition, of course, there is a wide range of text editing, display graphics, and enhanced utility programs available.

Local, regional, and national DECUS organizations give members the opportunity to meet other DIGITAL customers and employees in an informal setting. From the monthly local meeting to the semiannual national symposium, the members can discuss their ideas, can learn what others are doing, and can give DIGITAL feedback necessary in improvement and future development of important products. Often, the national meetings in the various countries also provide the stage for major new product announcements by the company, and a showplace for interesting developments in both hardware and software technology. At any meeting a member might describe ideas and programs he has implemented, or fine tuning that has been achieved for a particular application. Members give papers, participate in panel discussions, lead workshops, or conduct demonstrations for the benefit of other members.

DECUS also publishes newsletters focusing on special interest, technical books that contain the compilation of symposia presentations; and a society newsletter.

Many members derive a particular benefit from joining DECUS Special Interest Groups. Special Interest Groups often meet as subsets of regional and national meetings, or they may meet on their own, to discuss their special interest. Here, all RSTS/E users, or everyone interested in COBOL, for example, can have a chance to get together and discuss topics of mutual importance. At present there are more than 20 Special Interest Groups (SIGs) in the U.S. alone. Many of the SIGs print newsletters and disseminate valuable technical information to members. The SIGs really are the front-line of mutual help and problem solving.

DIGITAL provides DECUS with administrative personnel and office space around the world, but the organization is run by its members, who act as speakers for conferences, planners for meetings, editorial and production talent for newsletters and minutes, and the inventors of the ideas and new programs necessary to keep the library up to date. Belonging to DECUS is a valuable adjunct to owning DIGITAL equipment on both the program exchange and the information exchange fronts.

continued

To obtain a DECUS membership form, complete the form below and return it to the appropriate chapter office.

**CHAPTER**

**ADDRESS**

AUSTRALIA (Australia, Brunei, Indonesia, Malaysia,  
New Zealand, Singapore)

DECUS Australia  
P.O. Box 384  
Chatswood  
NSW 2067  
Australia

CANADIAN (Canada)

DECUS Canada  
P.O. Box 13000  
Kanata, Ontario K2K 2A6  
Canada

EUROPEAN (Europe, Middle East, North Africa, Russia)

DECUS Europe  
P.O. Box 510  
12, avenue des Morgines  
CH-1213 Petit-Lancy 1/GE  
Switzerland

U.S. (U.S. and all other countries)

DECUS U.S. Chapter  
One Iron Way  
Marlboro, Massachusetts 01752  
U.S.A.

---

Please send me a DECUS membership form.

NAME: \_\_\_\_\_  
(First) (Last/Family Name)

COMPANY: (INSTALLATION) \_\_\_\_\_

ADDRESS: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

(City, Town, State/Province, and Zip/Postal Code)

COUNTRY: \_\_\_\_\_

TELEPHONE: \_\_\_\_\_

TELEX \_\_\_\_\_

I obtained this form from \_\_\_\_\_

## SOFTWARE PROBLEMS OR ENHANCEMENTS

Questions, problems, and enhancements to DIGITAL software should be reported on a Software Performance Report (SPR) form and mailed to the SPR Center at one of the following Digital Offices: (*SPR forms are available from the SPR Center*).

### Areas Covered

United States;  
remainder of Far East,  
Middle East, Africa  
Latin America

Canada

United Kingdom, Bahrein,  
Egypt, Iraq, Jordan, Kuwait,  
Lebanon, Libya, Qatar,  
Oman, Saudi Arabia, Syria,  
United Arab Emirates, Yemen,  
Arab Republic

Australia, New Zealand

Brazil

Caribbean

France

Italy

Japan

Belgium, Holland,  
Luxemburg

### SPR Center

Corporate Administrative Systems Group  
P.O. Box F  
Maynard, MA 01754

Digital Equipment of Canada, Ltd.  
P.O. Box 13000  
Kanata, Ontario  
Canada, K2K 2A6

Digital Equipment Co. Ltd.  
2 Cheapside  
GB - Reading, Berkshire RG1 7AA  
England

Digital Equipment Aust. Pty. Ltd.  
P.O. Box 384  
Chatswood, New South Wales 2067  
Australia

Digital Equipment Comercio e  
Industria Ltda.  
Avenida Augusto Severo, 156-A  
20021 Rio de Janeiro, RJ  
Brazil

Digital Equipment Latin America  
P.O. Box 11038  
Fernandez Juncos Station  
Santurce 00910  
Puerto Rico

Digital Equipment France  
Cidex L225  
18 Rue Saarinen  
F-94528, Rungis  
France

Digital Equipment S.p.A.  
Viale Fulvio Testi, 11  
Ang. Via Gorki 105  
I-20092 Cinisello Balsamo  
Milan  
Italy

Digital Equipment Corp. Intl. Japan  
Sunshine 60, P.O. Box 1135  
1-1 Higashi Ikebukuro 3-Chome,  
Toshima-Ku, Tokyo, 170  
Japan

Digital Equipment B.V.  
KaaP Hoorndreef 38  
NL-3563 AV Utrecht  
Holland

Sweden	Digital Equipment AB P.O. Box 1250 S-17124 Solna 1 Sweden
Denmark	Digital Equipment Corp. AS Kristineberg 3 DK-2100 Copenhagen 0 Denmark
Finland	Digital Equipment Corp. Oy PL 16 SF-02201, Espoo 20 Finland
Norway	Digital Equipment Corp. A/S Pottemakerveien 8 N-Oslo 5 Norway
Austria, East Germany, West Germany, Poland, Hungary, Rumania, Czechoslovakia, Russia, Bulgaria	Digital Equipment Corp. GmbH Rheinstrasse 28 D - 8000 Munich 40 West Germany
Israel	Decsys, Computers Ltd. 4, Yirmiyahu Str. IL-63505 Tel Aviv Israel
Greece, Portugal, Spain, Switzerland, Yugoslavia, (Morocco, Algeria, Tunisia, Cyprus, Turkey, Malta)	Digital Equipment Corp. SA 9, Route des Jeunes Case Postale 191 CH-1211 Geneva 26 Switzerland
Mexico	Digital Equipment de Mexico, S.A. de C.V. Ave. Lopez Mateos 427, 1st. Floor Guadalajara Jalisco Mexico
China	Digital Computer Hong Kong Ltd. 1303-1309 Dominion Ctr. 43-59 Queen's Road East Wanchai Hong Kong

DIGITAL EQUIPMENT CORPORATION, Corporate Headquarters: Maynard, Massachusetts 01754, Telephone: (617)897-5111—SALES AND SERVICE OFFICES: UNITED STATES—ALABAMA, Huntsville • ARIZONA, Phoenix and Tucson • CALIFORNIA, El Segundo, Los Angeles, Oakland, Ridgecrest, San Diego, San Francisco (Mountain View), Santa Ana, Santa Clara, Stanford, Sunnyvale and Woodland Hills • COLORADO, Englewood • CONNECTICUT, Fairfield and Meriden • DISTRICT OF COLUMBIA, Washington (Lanham, MD) • FLORIDA, Ft. Lauderdale and Orlando • GEORGIA, Atlanta • HAWAII, Honolulu • ILLINOIS, Chicago (Rolling Meadows) • INDIANA, Indianapolis • IOWA, Bettendorf • KENTUCKY, Louisville • LOUISIANA, New Orleans (Metairie) • MARYLAND, Odenton • MASSACHUSETTS, Marlborough, Waltham and Westfield • MICHIGAN, Detroit (Farmington Hills) • MINNESOTA, Minneapolis • MISSOURI, Kansas City (Independence) and St. Louis • NEW HAMPSHIRE, Manchester • NEW JERSEY, Cherry Hill, Fairfield, Metuchen and Princeton • NEW MEXICO, Albuquerque • NEW YORK, Albany, Buffalo (Cheektowaga), Long Island (Huntington Station), Manhattan, Rochester and Syracuse • NORTH CAROLINA, Durham/Chapel Hill • OHIO, Cleveland (Euclid), Columbus and Dayton • OKLAHOMA, Tulsa • OREGON, Eugene and Portland • PENNSYLVANIA, Allentown, Philadelphia (Bluebell) and Pittsburgh • SOUTH CAROLINA, Columbia • TENNESSEE, Knoxville and Nashville • TEXAS, Austin, Dallas and Houston • UTAH, Salt Lake City • VIRGINIA, Richmond • WASHINGTON, Bellevue • WISCONSIN, Milwaukee (Brookfield) • INTERNATIONAL—ARGENTINA, Buenos Aires • AUSTRALIA, Adelaide, Brisbane, Canberra, Melbourne, Perth and Sydney • AUSTRIA, Vienna • BELGIUM, Brussels • BOLIVIA, La Paz • BRAZIL, Rio de Janeiro and Sao Paulo • CANADA, Calgary, Edmonton, Halifax, London, Montreal, Ottawa, Toronto, Vancouver and Winnipeg • CHILE, Santiago • DENMARK, Copenhagen • FINLAND, Helsinki • FRANCE, Lyon, Grenoble and Paris • GERMAN FEDERAL REPUBLIC, Cologne, Frankfurt, Hamburg, Hannover, Munich, Nuremberg, Stuttgart and West Berlin • HONG KONG • INDIA, Bombay • INDONESIA, Djakarta • IRELAND, Dublin • ITALY, Milan, Rome and Turin • IRAN, Tehran • JAPAN, Osaka and Tokyo • MALAYSIA, Kuala Lumpur • MEXICO, Mexico City • NETHERLANDS, Utrecht • NEW ZEALAND, Auckland and Christchurch • NORWAY, Oslo • PUERTO RICO, Santurce • SINGAPORE • SPAIN, Madrid • SWEDEN, Gothenburg and Stockholm • SWITZERLAND, Geneva and Zurich • UNITED KINGDOM, Birmingham, Bristol, Epsom, Edinburgh, Leeds, Leicester, London, Manchester and Reading • VENEZUELA, Caracas •