


AD02

EXERCISER FOR 1024 CHANNEL
MD-11-DZADI-A
AD02

EP-DZADI-A-DL
COPYRIGHT 1976
FICHE 1 OF 1

MAY 1978
digital
MADE IN USA



IDENTIFICATION

PRODUCT CODE: MD-11-DZADI-A 7D
PRODUCT NAME: EXERCISER FOR 1024 CH. ADØ2
DATE CREATED: FEB. 1976
MAINTAINER: IPGCP
AUTHOR: RAY BALDWIN

Copyright: (C) 1976 by DIGITAL EQUIPMENT CORPORATION

The information in this document is subject to change without notice and should not be construed as a commitment by Digital Equipment Corporation. Digital Equipment Corporation assumes no responsibility for any errors that may appear in this manual.

The software described in this document is furnished to the purchaser under a license for use on a single computer system and can be copied (with inclusion of DIGITAL'S copyright notice) only for use in such system, except as may otherwise be provided in writing by DIGITAL.

Digital Equipment Corporation assumes no responsibility for the use or reliability of its software on equipment that is not supplied by DIGITAL.

57	000034	000036	.+2	
58	000036	000000	HALT	ITRAPPED TO PREVIOUS ADDRESS
59	000040	000042	.+2	
60	000042	000000	HALT	ITRAPPED TO PREVIOUS ADDRESS
61	000044	000046	.+2	
62	000046	000000	HALT	ITRAPPED TO PREVIOUS ADDRESS
63	000050	000052	.+2	
64	000052	000000	HALT	ITRAPPED TO PREVIOUS ADDRESS
65	000054	000056	.+2	
66	000056	000000	HALT	ITRAPPED TO PREVIOUS ADDRESS
67	000060	000062	.+2	
68	000062	000000	HALT	ITRAPPED TO PREVIOUS ADDRESS
69	000064	000066	.+2	
70	000066	000000	HALT	ITRAPPED TO PREVIOUS ADDRESS
71	000070	000072	.+2	
72	000072	000000	HALT	ITRAPPED TO PREVIOUS ADDRESS
73	000074	000076	.+2	
74	000076	000000	HALT	ITRAPPED TO PREVIOUS ADDRESS
75	000100	000102	.+2	
76	000102	000000	HALT	ITRAPPED TO PREVIOUS ADDRESS
77	000104	000106	.+2	
78	000106	000000	HALT	ITRAPPED TO PREVIOUS ADDRESS
79	000110	000112	.+2	
80	000112	000000	HALT	ITRAPPED TO PREVIOUS ADDRESS
81	000114	000116	.+2	
82	000116	000000	HALT	ITRAPPED TO PREVIOUS ADDRESS
83	000120	000122	.+2	
84	000122	000000	HALT	ITRAPPED TO PREVIOUS ADDRESS
85	000124	000126	.+2	
86	000126	000000	HALT	ITRAPPED TO PREVIOUS ADDRESS
87	000130	000132	.+2	
88	000132	000000	HALT	ITRAPPED TO PREVIOUS ADDRESS
89	000134	000136	.+2	
90	000136	000000	HALT	ITRAPPED TO PREVIOUS ADDRESS
91	000140	000142	.+2	
92	000142	000000	HALT	ITRAPPED TO PREVIOUS ADDRESS
93	000144	000146	.+2	
94	000146	000000	HALT	ITRAPPED TO PREVIOUS ADDRESS
95	000150	000152	.+2	
96	000152	000000	HALT	ITRAPPED TO PREVIOUS ADDRESS
97	000154	000156	.+2	
98	000156	000000	HALT	ITRAPPED TO PREVIOUS ADDRESS
99	000160	000162	.+2	
100	000162	000000	HALT	ITRAPPED TO PREVIOUS ADDRESS
101	000164	000166	.+2	
102	000166	000000	HALT	ITRAPPED TO PREVIOUS ADDRESS
103	000170	000172	.+2	
104	000172	000000	HALT	ITRAPPED TO PREVIOUS ADDRESS
105	000174	000176	.+2	
106	000176	000000	HALT	ITRAPPED TO PREVIOUS ADDRESS
107	000200	000202	.+2	
108	000202	000000	HALT	ITRAPPED TO PREVIOUS ADDRESS
109	000204	000206	.+2	
110	000206	000000	HALT	ITRAPPED TO PREVIOUS ADDRESS
111	000210	000212	.+2	
112	000212	000000	HALT	ITRAPPED TO PREVIOUS ADDRESS

113	000214	000216	.+2	
114	000216	000000	HALT	STRAPPED TO PREVIOUS ADDRESS
115	000220	000222	.+2	
116	000222	000000	HALT	STRAPPED TO PREVIOUS ADDRESS
117	000224	000226	.+2	
118	000226	000000	HALT	STRAPPED TO PREVIOUS ADDRESS
119	000230	000232	.+2	
120	000232	000000	HALT	STRAPPED TO PREVIOUS ADDRESS
121	000234	000236	.+2	
122	000236	000000	HALT	STRAPPED TO PREVIOUS ADDRESS
123	000240	000242	.+2	
124	000242	000000	HALT	STRAPPED TO PREVIOUS ADDRESS
125	000244	000246	.+2	
126	000246	000000	HALT	STRAPPED TO PREVIOUS ADDRESS
127	000250	000252	.+2	
128	000252	000000	HALT	STRAPPED TO PREVIOUS ADDRESS
129	000254	000256	.+2	
130	000256	000000	HALT	STRAPPED TO PREVIOUS ADDRESS
131	000260	000262	.+2	
132	000262	000000	HALT	STRAPPED TO PREVIOUS ADDRESS
133	000264	000266	.+2	
134	000266	000000	HALT	STRAPPED TO PREVIOUS ADDRESS
135	000270	000272	.+2	
136	000272	000000	HALT	STRAPPED TO PREVIOUS ADDRESS
137	000274	000276	.+2	
138	000276	000000	HALT	STRAPPED TO PREVIOUS ADDRESS
139	000300	000302	.+2	
140	000302	000000	HALT	STRAPPED TO PREVIOUS ADDRESS
141	000304	000306	.+2	
142	000306	000000	HALT	STRAPPED TO PREVIOUS ADDRESS
143	000310	000312	.+2	
144	000312	000000	HALT	STRAPPED TO PREVIOUS ADDRESS
145	000314	000316	.+2	
146	000316	000000	HALT	STRAPPED TO PREVIOUS ADDRESS
147	000320	000322	.+2	
148	000322	000000	HALT	STRAPPED TO PREVIOUS ADDRESS
149	000324	000326	.+2	
150	000326	000000	HALT	STRAPPED TO PREVIOUS ADDRESS
151	000330	000332	.+2	
152	000332	000000	HALT	STRAPPED TO PREVIOUS ADDRESS
153	000334	000336	.+2	
154	000336	000000	HALT	STRAPPED TO PREVIOUS ADDRESS
155	000340	000342	.+2	
156	000342	000000	HALT	STRAPPED TO PREVIOUS ADDRESS
157	000344	000346	.+2	
158	000346	000000	HALT	STRAPPED TO PREVIOUS ADDRESS
159	000350	000352	.+2	
160	000352	000000	HALT	STRAPPED TO PREVIOUS ADDRESS
161	000354	000356	.+2	
162	000356	000000	HALT	STRAPPED TO PREVIOUS ADDRESS
163	000360	000362	.+2	
164	000362	000000	HALT	STRAPPED TO PREVIOUS ADDRESS
165	000364	000366	.+2	
166	000366	000000	HALT	STRAPPED TO PREVIOUS ADDRESS
167	000370	000372	.+2	
168	000372	000000	HALT	STRAPPED TO PREVIOUS ADDRESS

169	000374	000376			.+2		
170	000376	000000			HALT		STRAPPED TO PREVIOUS ADDRESS
171					/		
172					/		
173		000200			.+200		
174	000200	012706	000600		MOV	@STACK,X6	INITIALIZE STACK
175	000204	000240			NOP		
176	000206	000404			BR	.+12	GO TO STABILITY TEST
177	000210	012706	000600		MOV	@STACK,X6	
178	000214	000167	000460		JMP	CONST	GO TO MUX TEST
179	000220	000000			HLT		LOAD CNT SPREAD
180	000222	016767	177342	002126	MOV	SR,CNTSPR	
181	000230	000000			HLT		LOAD 10 BITS=2000 11 BITS=4000 12 BITS 10000
182	000232	016767	177332	001050	MOV	SR,SIGNK	
183	000240	000000			HLT		LOAD GAIN INTO BITS 11+12 CHAN INTO 0-9
184	000242	005037	002534		CLR	@PASS	
185	000246	000240			NOP		
186	000250	000240			NOP		
187	000252	000137	001030		JMP	@STAB	
188	000256	000240			NOP		
189	000260	012706	000600		MOV	@STACK,X6	
190	000264	000137	003420		JMP	@DIS	GO TO DISPLAY TEST

```

191
192
193
194
195
196      000600      000600
197 000600 000000      STACK: 0
198
199
200
201
202
203      ;EXERCISE EACH MULTIPLEXER REGISTER BIT INDEPENDENTLY BY A
204      ;SEND AND RECEIVE PROCEDURE.
205      ;
206 000700 016700 176070      CONST:1 MOV    ADMX,X0      ;CHECK THAT INITIALIZE CLEARED MUX. REG.
207 000704 001491      BEQ    .+4
208 000706 000000      HLT
209 000710 012767 177770 000110      MOV    0-10,COUNT      ;INT FAILED TO CLEAR MUX OR READ FAILED
210 000716 012700 000001      MOV    01,X0          ;SET COUNT FOR 10 XFERS
211 000722 010067 176046      A1:1  MOV    X0,ADMX      ;LOAD MUX DATA REG (R0)
212 000726 016701 176042      MOV    ADMX,X1        ;LOAD MUX REG.
213 000732 020100      CMP    X1,X0          ;READ MUX REG.
214 000734 001401      BEQ    .+4
215 000736 000000      HLT
216 000740 006100      ROL    X0              ;FAILED TO READ CORRECT MUX VALUE (R0)
217 000742 005267 000060      INC    COUNT          ;BAD VALUE IN (R1)
218 000746 001402      BEQ    .+6
219 000750 000167 177746      JMP    A1
220
221      ;
222      ;RUN INCREMENT PATTERN ON A SEND, RECEIVE PROCEDURE
223 000754 012767 176000 000044      MOV    0-2000,COUNT   ;SET COUNT FOR 1024 TRANSFERS
224 000762 005000      CLR    X0
225 000764 010067 176004      A2:1  MOV    X0,ADMX      ;LOAD MUX
226 000770 016701 176000      MOV    ADMX,X1        ;READ MUX
227 000774 020100      CMP    X1,X0
228 000776 001401      BEQ    .+4
229 001000 000000      HLT
230 001002 005200      INC    X0              ;BRANCH IF THE SAME
231 001004 005267 000016      INC    COUNT          ;VALUE SENT IN R0,VALUE RECEIVED IN R1
232 001010 001402      BEQ    .+6
233 001012 000167 177746      JMP    A2              ;TRY NEXT VALUE
234 001016 005037 176774      CLR    00ADMX
235 001022 000167 177652      JMP    CONST          ;RECYCLE TEST
236 001026 000000      COUNT: 0

```

237								
238								
239								
240								
241								
242								
243								
244	001030	016767	176534	175736	STAB1	MOV	SR,ADMX	IFETCH CHANNEL ADDRESS
245	001036	105737	176770			TSTB	00ADCS	
246	001042	100375				BPL	.-4	
247	001044	005737	176772			TST	00ADUR	
248	001050	016767	176514	000234		MOV	SR,GAIN	
249	001056	000367	000230			SWAB	GAIN	
250	001062	042767	177747	000222		BIC	017747,GAIN	
251	001070	016767	000216	175672		MOV	GAIN,ADCS	IFLOAD GAIN SELECTED IN SWITCH REG. BITS 11+12
252	001076	004237	001142			JSR	X2,00CONV	IFAKE 1000 CONVERSIONS AT FIXED GAIN + CHAN.
253	001102	004237	001206			JSR	X2,00AVE	IFIND AVERAGE VALUE OF 1024 CONV.
254	001106	004237	001476			JSR	X2,00SPRSET	IFIND SPREAD +/-5 FROM AVERAGE VALUE
255	001112	004237	001632			JSR	X2,00CATEG	IFCATEGORIZE THE FIRST 1000 CONVERSIONS
256	001116	032767	100000	176444		BIT	010000,SR	IFTEST BIT 15 OF S,R.
257	001124	001402				BEG	.+6	IFIF BIT 15=1 OMIT CHECKING FOR ERROR
258	001126	000137	001030			JMP	00STAB	
259	001132	004237	002262			JSR	X2,00CHECK	IFBIT 15=0,ICHECK FOR ERROR
260	001136	000137	001030			JMP	00STAB	
261								
262								
263								
264	001142	012737	176000	001026	CONV1	MOV	0-2000,00COUNT	IFSET COUNT FOR 1024 CONVERSIONS
265	001150	012704	003620			MOV	STAB,X4	IFSET ADDRESS POINTER TO LOAD TABLE
266	001154	005237	176770			INC	00ADCS	IFKICK A/D START
267	001160	105737	176770			TSTB	00ADCS	
268	001164	100375				BPL	.-4	IFWAIT FOR A/D DONE
269	001166	013724	176772			MOV	00ADUR,(X4)+	
270	001172	005237	001026			INC	00COUNT	
271	001176	001402				BEG	.+6	
272	001200	000137	001154			JMP	00CONV+12	
273	001204	000202				RTS	X2	
274								
275								
276								
277	001206	005037	001306		AVE1	CLR	00MIORU	IFINITIALIZE SUMMING LOCATIONS
278	001212	005037	001304			CLR	00LOORD	
279	001216	012737	176000	001300		MOV	0-2000,00CNT1	IFSET COUNTER 1 FOR 1024 CONVERSIONS
280	001224	012704	003620			MOV	STAB,X4	IFINITIALIZE POINTER FOR DATA
281	001230	012467	000046		AVEA1	MOV	(X4)+,HOLD	IFGET DATA
282	001234	063767	001310	000040		ADD	00SIGNK,HOLD	IFMAKE ALL VALUES POSITIVE
283	001242	066767	000034	000034		ADD	HOLD,LOORD	IFADD SUMS TO LOW ORDER DIVIDEND
284	001250	005537	001306			ADC	00MIORU	
285	001254	000240				NOP		
286	001256	000240				NOP		
287	001260	005267	000014			INC	CNT1	IFINCREMENT COUNTER
288	001264	001402				BEG	.+6	IFBRANCH IF WE ARE DONE
289	001266	000137	001230			JMP	00AVEA	IFNO, GET NEXT DATA
290	001272	000240				NOP		
291	001274	000137	001314			JMP	00DIV	IFGO AND DIVIDE MESS BY 1024
292	001300	000000			CNT11	0		IFLOOP COUNTER

293 001302 000000
294 001304 000000
295 001306 000000
296 001310 000000
297 001312 000000

MOLD: 0
LOAD: 0
MIOR: 0
SIGN: 0
GAIN: 0

ARITHMETIC STORAGE
LOW ORDER DIV
HIGH ORDER DIV
10 BITS=2000, 11BITS=4000, 12 BITS=10000

```

298
299
300
301
302
303 001314 005037 001300
304 001320 012767 177766 177752
305 001326 006237 001306
306 001332 006037 001304
307 001336 103405
308 001340 005237 001300
309 001344 001411
310 001346 000137 001326
311 001352 005237 001300
312 001356 001402
313 001360 000137 001326
314 001364 005237 001304
315
316
317
318
319 001370 032737 002000 001310
320 001376 001405
321 001400 012737 176000 001462
322 001406 000137 001466
323 001412 032737 004000 001310
324 001420 001405
325 001422 012737 174000 001462
326 001430 000137 001466
327 001434 032737 010000 001310
328 001442 001405
329 001444 012737 170000 001462
330 001452 000137 001466
331 001456 000000
332 001460 000240
333 001462 000000
334 001464 000240
335 001466 063737 001304 001462
336 001474 000202
337
338
339
340 001476 013737 001462 001600
341 001504 012737 177773 001602
342 001512 012704 001604
343 001516 005237 001600
344 001522 013724 001600
345 001526 005237 001602
346 001532 001371
347 001534 013724 001462
348 001540 012737 177773 001602
349 001546 013737 001462 001600
350 001554 005337 001600
351 001560 013724 001600
352 001564 005237 001602
353 001570 001371
  
```

/ DIVIDE THE SUMMED CONVERSIONS BY 1024 TO
 / FIND AVERAGE VALUE
 / AVERAGE VALUE REMAINS LOORD
 /
 DIVI CLR 00CNT1 / CLEAR COUNTER
 MOV 0-12,CNT1 / SET UP FOR 10 SHIFTS
 OIVAI ASR 00HIORD / MOVES BIT 0 TO CARRY
 ROR 00LOORD / MOVES CARRY TO BIT 15
 BCS .+14
 INC 00CNT1
 BEQ .+24
 JMP 00DIVA
 INC 00CNT1
 BEQ .+6
 JMP 00DIVA
 INC 00LOORD
 /
 /
 / FIND VALUE WHICH WAS ADDED TO MAKE SIGN POSITIVE, AND SUBTRACT
 / FROM AVERAGE VALUE IN LOW ORDER DIVIDEND
 BIT 02000,00SIGNK
 BEQ .+14 / BRANCH IF NOT 10 BITS
 MOV 0176000,00VAL
 JMP 00SET
 BIT 04000,00SIGNK
 BEQ .+14 / BRANCH IF NOT 11 BITS
 MOV 0174000,00VAL
 JMP 00SET
 BIT 010000,00SIGNK
 BEQ .+14 / BRANCH IF NOT 12 BITS
 MOV 0170000,00VAL
 JMP 00SET
 HLT / WRONG JUSTIFICATION VALUE IN SIGNK
 NOP
 VALI 0
 NOP
 SETI ADD 00LOORD,00VAL / ADD LOW ORDER DIVIDEND TO VAL
 RTS 32
 /
 / FIND VALUES WHICH ARE + AND - 5 COUNTS FROM AVERAGE
 / VALUE AND STORE IN THEIR RESPECTIVE GATES.
 SPRSETI MOV 00VAL,00CNTR
 MOV 0-5,00CNTR+2 / SET FOR 5 INCREMENTS
 MOV 00POINTA,X4 / SET R4 FOR DATA POINTER
 INC 00CNTR / SET COUNTS (+) FROM AVERAGE
 MOV 00CNTR,(X4)+
 INC 00CNTR+2 / UPDATE COUNTER
 ONE .-14
 MOV 00VAL,(X4)+ / MOV AVERAGE VALUE TO GATE.
 MOV 0-5,00CNTR+2 / SET FOR 5 DECREMENTS
 MOV 00VAL,00CNTR
 DEC 00CNTR / SET COUNTS (-) FROM AVERAGE
 MOV 00CNTR,(X4)+
 INC 00CNTR+2
 ONE .-14

354	001572	000202		RTS	12
355	001574	000240		NOP	
356	001576	000240		NOP	
357	001600	000000	CNTR1	0	
358	001602	000000		0	

359						
360	001604	000000		POINTAI	0	1+1
361	001606	000000		POINTBI	0	1+2
362	001610	000000		POINTCI	0	1+3
363	001612	000000		POINTDI	0	1+4
364	001614	000000		POINTEI	0	1+5
365	001616	000000		POINTFI	0	1+SAME
366	001620	000000		POINTGI	0	1-1
367	001622	000000		POINTHI	0	1-2
368	001624	000000		POINTII	0	1-3
369	001626	000000		POINTJI	0	1-4
370	001630	000000		POINTKI	0	1-5
371				/		
372				/		
373				1CATEGORIZE THE FIRST 1000 CONVERSIONS FROM THE TABLE		
374				1HEADED TAB.		
375	001632	005067	000356	CATEGI	CLR	PLUS1
376	001636	005067	000354		CLR	PLUS2
377	001642	005067	000352		CLR	PLUS3
378	001646	005067	000350		CLR	PLUS4
379	001652	005067	000346		CLR	PLUS5
380	001656	005067	000330		CLR	SAME
381	001662	005067	000322		CLR	MINUS1
382	001666	005067	000314		CLR	MINUS2
383	001672	005067	000306		CLR	MINUS3
384	001676	005067	000300		CLR	MINUS4
385	001702	005067	000272		CLR	MINUS5
386	001706	005067	000314		CLR	JUNK
387	001712	012737	176030	001602	MOV	0-1750,00CNTR+2 1SET FOR 1000 CONVERSIONS
388	001720	012704	003620		MOV	0TAB,24
389	001724	012409		DILLI	MOV	(X4)+,X5 1START HERE FOR EACH COMPARE
390	001726	020537	001604		CMP	X5,00POINTA
391	001732	001004			BNE	.+12 1BRANCH IF NOT +1
392	001734	005237	002214		INC	00PLUS1 1VALUE WAS +1
393	001740	000137	002164		JMP	00CAL
394	001744	020537	001606		CMP	X5,00POINTB
395	001750	001004			BNE	.+12
396	001752	005237	002216		INC	00PLUS2 1VALUE WAS +2
397	001756	000137	002164		JMP	00CAL
398	001762	020537	001610		CMP	X5,00POINTC
399	001766	001004			BNE	.+12
400	001770	005237	002220		INC	00PLUS3 1VALUE WAS +3
401	001774	000137	002164		JMP	00CAL
402	002000	020537	001612		CMP	X5,00POINTD
403	002004	001004			BNE	.+12
404	002006	005237	002222		INC	00PLUS4 1VALUE WAS +4
405	002012	000137	002164		JMP	00CAL
406	002016	020537	001614		CMP	X5,00POINTE
407	002022	001004			BNE	.+12
408	002024	005237	002224		INC	00PLUS5 1VALUE WAS +5
409	002030	000137	002164		JMP	00CAL
410	002034	020537	001616		CMP	X5,00POINTF
411	002040	001004			BNE	.+12
412	002042	005237	002212		INC	00SAME 1VALUE WAS SAME AS AVERAGE
413	002046	000137	002164		JMP	00CAL
414	002052	020537	001620		CMP	X5,00POINTG

415	002056	001004		BNE	.+12	
416	002060	005237	002210	INC	00MINUS1	IVALUE HAS -1
417	002064	000137	002164	JMP	00CAL	
418	002070	020537	001622	CMP	15,00POINTM	


```

419
420 002074 001004      BNE      .+12
421 002076 005237 002206  INC      @MINUS2      ;VALUE WAS -2
422 002102 000137 002164  JMP      @CAL
423 002106 020537 001624  CMP      X5,@POINTI
424 002112 001004      BNE      .+12
425 002114 005237 002204  INC      @MINUS3      ;VALUE WAS -3
426 002120 000137 002164  JMP      @CAL
427 002124 020537 001626  CMP      X5,@POINTJ
428 002130 001004      BNE      .+12
429 002132 005237 002202  INC      @MINUS4      ;VALUE WAS -4
430 002136 000137 002164  JMP      @CAL
431 002142 020537 001630  CMP      X5,@POINTK
432 002146 001004      BNE      .+12
433 002150 005237 002200  INC      @MINUS5      ;VALUE WAS -5
434 002154 000137 002164  JMP      @CAL
435 002160 005237 002226  INC      @JUNK
436 002164 005237 001602      CAL:    INC      @CENTR+2
437 002170 001402      BEO      .+6          ;BRANCH IF ALL DONE
438 002172 000137 001724  JMP      @DILL
439 002176 000202      RTS      X2
440
441      ;
442      ;STORE COUNTS HERE FOR CATEGORIZED RESULTS
443      ;
444      ;
445      ;
446      ;
447      ;
448      ;
449      ;
450      ;
451      ;
452      ;
453      ;
454      ;
455      ;
456      ;
457      ;
458      ;
459      ;
460      ;TYPE A LINE FEED & CARRIAGE RETURN
461 002230 012767 000015 175330  LPCR:  MOV      @19,TYDB      ;MOV C.R. TO TELETYPE
462 002236 105737 177564      TSTB
463 002242 100379      SPL
464 002244 012767 000012 175314  MOV      @12,TYDB      ;MOV LF TO TELETYPE
465 002252 105737 177564      TSTB
466 002256 100379      SPL
467 002260 000203      RTS      X3
  
```

```

468
469
470
471 002262 013704 002356
472 002266 001002
473 002270 000137 002370
474 002274 022704 000001
475 002300 001002
476 002302 000137 002414
477 002306 022704 000002
478 002312 001002
479 002314 000137 002434
480 002320 022704 000003
481 002324 001002
482 002326 000137 002454
483 002332 022704 000004
484 002336 001002
485 002340 000137 002474
486 002344 022704 000005
487 002350 001003
488 002352 000137 002514
489 002356 000240
490 002360 000000
491 002362 000240
492 002364 000240
493 002366 000240
494
495
496 002370 005737 002214
497 002374 001402
498 002376 000137 002414
499 002402 005737 002210
500 002406 001402
501 002410 000137 002536
502 002414 005737 002216
503 002420 001003
504 002422 005737 002206
505 002426 001402
506 002430 000137 002536
507 002434 005737 002220
508 002440 001003
509 002442 005737 002204
510 002446 001402
511 002450 000137 002536
512 002454 005737 002222
513 002460 001003
514 002462 005737 002202
515 002466 001402
516 002470 000137 002536
517 002474 005737 002224
518 002500 001003
519 002502 005737 002200
520 002506 001402
521 002510 000137 002536
522 002514 005737 002226
523 002520 001402

```

```

/
/SUBROUTINE TO CHECK FOR ERROR FROM DESIRED ALLOWABLE COUNTSPREAD
CHECK1: MOV     @CNTSPR, R4
        BNE     .+6
        JMP     @CHECK1
        CMP     R1, R4
        BNE     .+6           /BRANCH IF COUNTSPREAD IS NOT 1
                               /CHECK FOR ERROR AT CS=1
        JMP     @CHECK2
        CMP     R2, R4
        BNE     .+6           /BRANCH IF COUNTSPREAD IS NOT 2
        JMP     @CHECK3
        CMP     R3, R4
        BNE     .+6           /BRANCH IF COUNTSPREAD IS NOT 3
        JMP     @CHECK4
        CMP     R4, R4
        BNE     .+6           /BRANCH IF COUNTSPREAD IS NOT 4
        JMP     @CHECK5
        CMP     R5, R4
        BNE     .+10          /BRANCH IF COUNT SPREAD IS NOT 5
        JMP     @CHECK6
CNTSPR: NOP
        HLT
        NOP
        NOP
        NOP
/
CHECK11: TST     @PLUS1       /TEST FOR VALUES +1
        BEQ     .+6           /BRANCH IF NO VALUES AT +1
        JMP     @CHECK2
        TST     @MINUS1      /TEST FOR VALUES -1
        BEQ     .+6           /BRANCH IF NO VALUES AT -2
        JMP     @ERROR       /CONVERT ALL VALUES TO DEC + TYPE
CHECK21: TST     @PLUS2
        BNE     .+10
        TST     @MINUS2
        BEQ     .+6           /TEST FOR VALUES -2
        JMP     @ERROR
CHECK31: TST     @PLUS3
        BNE     .+10
        TST     @MINUS3
        BEQ     .+6           /TEST FOR VALUES -3
        JMP     @ERROR
CHECK41: TST     @PLUS4
        BNE     .+10
        TST     @MINUS4
        BEQ     .+6           /TEST FOR VALUES -4
        JMP     @ERROR
CHECK51: TST     @PLUS5
        BNE     .+10
        TST     @MINUS5
        BEQ     .+6
        JMP     @ERROR
CHECK61: TST     @JUNK
        BEQ     .+6

```

524	002522	000137	002536	JMP	00ERWON
525	002526	005237	002534	INC	00PASS
526	002532	000202		RTS	X2
527	002534	000000		PASS1	0

OK ALL IS GOOD

```

528
529
530
531
532
533
534
535
536 002536 004337 002230          ERROR: JSR    X3,00LPCR      JL.F. + C.R.
537 002542 012704 002534          MOV    0PASS,X4
538 002546 004337 003142          JSR    X3,00BINDEC    JPRINT PASS COUNT SINCE LAST ERROR
539 002552 004337 002230          JSR    X3,00LPCR
540 002556 004337 002706          JSR    X3,00VALAVE    JPRINT AVERAGE VALUE
541 002562 004337 002230          JSR    X3,00LPCR      JL.F. + C.R.
542 002566 032737 040000 177570 BIT    040000,00SR
543 002574 001006                   BNE    .+16
544 002576 012705 003500          MOV    0LINE,X5       JSET LOCATION IN TYPE ROUTINE FOR
545 002602 004337 003116          JSR    X3,00TYPE      JHISTOGRAM DATA OUTPUT
546 002606 004337 002230          JSR    X3,00LPCR      JL.F. + C.R.
547 002612 012737 177765 001600 MOV    0-13,00CNTR    JSET COUNTER FOR H TRIPS TO BINDEC
548 002620 012704 002200          MOV    0MINUS5,X4    JREG. 4 WILL POINT AT VALUE TO BE CONV.
549 002624 004337 003142          LAPI: JSR    X3,00BINDEC JCONVERT VALUE AND RAP OUT
550 002630 012705 003606          MOV    0SPACE,X5     JREG 4 WILL POINT AT SPACES TO BE OUTPUT
551 002634 004337 003116          JSR    X3,00TYPE      JPRINT 3 SPACES TO EVEN OUTPUT ORDER
552 002640 005237 001600          INC    00CNTR
553 002644 001367                   BNE    LAP           JBRANCH UNTIL DONE
554 002646 022737 001750 002226 CMP    01750,00JUNK
555 002654 001005                   BNE    .+14
556 002656 012705 003612          MOV    0KJK,X5
557 002662 004337 003116          JSR    X3,00TYPE
558 002666 000202                   RTS
559 002670 012704 002226          MOV    0JUNK,X4
560 002674 004337 003142          JSR    X3,00BINDEC
561 002700 005037 002534          CLR    00PASS
562 002704 000202                   RTS                 JRETURN TO TRY AGAIN
563
564
565
566
567
568 002706 013737 001462 003052 VALAVE: MOV    00VAL,00STOR  JGET AVERAGE VALUE
569 002714 005037 003054          CLR    00STORA
570 002720 012705 003100          MOV    0PA,X5        JRS POINTS TO DATA STORAGE
571 002724 006337 003052          ASL    00STOR         JSHIFT 1ST BIT INTO CARRY
572 002730 006137 003054          ROL    00STORA
573 002734 062737 000060 003054 ADD    060,00STORA
574 002742 013725 003054          MOV    00STORA,(X5)+
575 002746 012737 177773 001600 MOV    0-5,00CNTR    JDO 5 TIMES
576 002750 012737 177775 001602 LIP:  MOV    0-3,00CNTR+2 JSHIFT AND ROTATE 3 TIMES EACH
577 002762 005037 003054          CLR    00STORA
578 002766 006337 003052          ASL    00STOR
579 002772 006137 003054          ROL    00STORA
580 002776 005237 001602          INC    00CNTR+2
581 003002 001371                   BNE    .-14          JBRANCH IF NOT 3 SHIFTS
582 003004 062737 000060 003054 ADD    060,00STORA
583 003012 013725 003054          MOV    00STORA,(X5)+ JSTORE ASCII DATA

```

584	003016	005237	001600	INC	00CNTR	
585	003022	001354		BNE	LIP	
586	003024	012705	003056	MOV	0LOV,X5	IRS NOW POINTS AT OUTPUT DATA
587	003030	012937	177566	MOV	(X5)+,00TYDB	OUTPUT
588	003034	105737	177564	TSTB	00TYSR	WAIT FOR DONE
589	003040	100375		BPL	.-4	
590	003042	022715	177777	CMP	0177777,(X5)	
591	003046	001370		BNE	.-10	IRAP NEXT
592	003050	000203		RTS	X3	
593	003052	000000		STORI	0	
594	003054	000000		STORA1	0	

595
596
597 003056 000101
598 003060 000126
599 003062 000105
600 003064 000056
601 003066 000126
602 003070 000101
603 003072 0001.4
604 003074 000056
605 003076 000040
606 003100 000000
607 003102 000000
608 003104 000000
609 003106 000000
610 003110 000000
611 003112 000000
612 003114 177777
613
614
615
616

LOV:
101
126
105
56
126
101
114
56
40
PAI
0
0
0
0
0
0

SAVE. VAL XXXXXX

TERMINATOR

THE TYPE SUBROUTINE WILL OUTPUT DATA ON THE ASR-33 TELETYPE
UNTIL TERMINATED BY A NEG. BYTE, THE STARTING DATA LOCATION MUST
BE PRELOADED INTO REGISTER 5

617									
618									
619									
620	003116	105715							
621	003120	100407							
622	003122	112537	177566						
623	003126	105737	177566						
624	003132	100375							
625	003134	000137	003116						
626	003140	000203							
627									
628									
629									
630	003142	005724							
631	003144	001004							
632	003146	012705	003606						
633	003152	000137	003116						
634	003156	012700	003406						
635	003162	012701	003372						
636	003166	012737	000060	003372					
637	003174	012737	000060	003374					
638	003202	012737	000060	003376					
639	003210	012737	000060	003400					
640	003216	012737	000060	003402					
641	003224	005744							
642	003226	011337	003302						
643	003232	013737	003302	003300					
644	003240	061037	003300						
645	003244	100004							
646	003246	005720							
647	003250	005721							
648	003252	000137	003232						
649	003256	013737	003300	003302					
650	003264	005211							
651	003266	005737	003300						
652	003272	001404							
653	003274	000137	003240						
654	003300	000000							
655	003302	000000							
656									
657									
658	003304	012700	003376						
659	003310	005710							
660	003312	100425							
661	003314	022710	000060						
662	003320	001011							
663	003322	012737	000040	177566					
664	003330	105737	177566						
665	003334	100375							
666	003336	005720							
667	003340	000137	003310						
668	003344	011037	177566						
669	003350	105737	177566						
670	003354	100375							
671	003356	005720							
672	003360	100402							

```

;
;
;
TYPE:  TSTB      (X5)          ;IF A NEG, BYTE WE ARE DONE
        BMI      RET
        MOVB     (X5)+, @TYDB
        TSTB     @TYBR
        BPL      =-4
        JMP      @TYPE
RET:    RTS      X3
;
;CONVERT A 16 BIT OCTAL WORD TO DECIMAL AND STORE IN ASCI.
;VALUE TO BE CONVERTED IS REFERENCED THROUGH REG. 4
BINDEC: TST      (X4)+
        BNE      .+12
        MOV      @SPACE, X5
        JMP      @TYPE
        MOV      @NEG, X0          ;X0 POINTS TO NEG #5 FOR SUB
        MOV      @DEC, X1         ;X1 POINTS TO LOCS FOR DEC. VALUES
        MOV      @60, @DEC
        MOV      @60, @DEC+2
        MOV      @60, @DEC+4
        MOV      @60, @DEC+6
        MOV      @60, @DEC+10
        TST      -(X4)           ;SET REG 4 BACK TO CORRECT LOC
        MOV      (X4), @SAVE
        MOV      @SAVE, @SUMS
        ADD      (X0), @SUMS     ;SUBTRACT DECIMAL EQUIVALENTS
        BPL      .+12
        TST      (X0)+          ;UPDATE SUB VALUE
        TST      (X1)+          ;UPDATE DEC. LOCATOR
        JMP      @BIDE-6
        MOV      @SUMS, @SAVE    ;SAVE REMAINDER FOR WHEN @ GOES NEG.
        INC      (X1)           ;+1 TO ASCI VALUE
        TST      @SUMS
        BEQ      .+12
        JMP      @BIDE
SUMS:   @
SAVE:   @
;
;OUTPUT DEC+4, +6, +10 AND RETURN TO CONTROL
DECOUT: MOV      @DEC+4, X0
        TST      (X0)           ;TEST FOR DONE
        BMI      DONE
        CMP      @60, (X0)      ;CHECK FOR FIRST NON-ZERO
        BNE     DIG
        MOV      @40, @TYDB     ;RAP A SPACE
        TSTB     @TYBR
        BPL      =-4
        TST      (X0)+
        JMP      @DECOUT+4
DIG:   MOV      (X0), @TYDB
        TSTB     @TYBR
        BPL      =-4
        TST      (X0)+          ;CHECK FOR TERMINATOR
        BMI     DONE

```

673	003362	000137	003344		JMP	00D16
674	003366	005724		DONE:	TST	(X4)+
675	003370	000203			RTS	X3
676					/	
677					/	
678	003372	000000		DEC:	0	
679	003374	000000			0	
680	003376	000000			0	
681	003400	000000			0	
682	003402	000000			0	
683	003404	177777			177777	
684					/	

TERMINATOR

685
 686 003406 154360
 687 003410 176030
 688 003412 177634
 689 003414 177766
 690 003416 177777

NEG: 154360 1010000 OCTAL -
 176030 1001000 OCTAL -
 177634 1000100 OCTAL -
 177766 1000010 OCTAL -
 177777 1000001 OCTAL -

691
 692
 693
 694

;
 ; LOAD THE SWITCH REGISTER BITS 0-9 INTO THE MULTIPLEXER
 ; REGISTER AND BITS 11&12 INTO THE GIN SELECT BITS OF THE
 ; STATUS REGISTER

695 003420 013737 177570 003476 DIS: 177570
 696 003426 000337 003476 003476
 697 003432 042737 177747 003476
 698 003440 113737 003476 176770
 699 003446 013737 177570 176774
 700 003454 105737 176770

MOV 00SR,00BUFF
 SWAB 00BUFF
 BIC 0177747,00BUFF
 MOVB 00BUFF,00ADCS
 MOV 00SR,00ADMX
 TSTB 00ADCS

; MOVE GAIN INTO STATUS REG.
 ; LOAD CHANNEL-START CONVERT
 ; WANT FOR DONE

701 003460 100375
 702 003462 013700 176772
 703 003466 000005
 704 003470 000137 003420
 705 003474 000240
 706 003476 000000

BPL 0-4
 MOV 00A0UR,10
 RESET
 JMP 00D18
 NOP

DISPLAY DATA

BUFF:

707
 708
 709

;
 ;
 ;

HISTOGRAM STORED HERE

710
 711
 712 003500 032455
 713 003502 020040
 714 003504 020040
 715 003506 032055
 716 003510 020040
 717 003512 020040
 718 003514 031455
 719 003516 020040
 720 003520 020040
 721 003522 031055
 722 003524 020040
 723 003526 020040
 724 003530 030455
 725 003532 020040
 726 003534 020040
 727 003536 030040
 728 003540 020040
 729 003542 020040
 730 003544 030453
 731 003546 020040
 732 003550 020040
 733 003552 031053
 734 003554 020040
 735 003556 020040
 736 003560 031453
 737 003562 020040
 738 003564 020040
 739 003566 032053
 740 003570 020040

LINE:

;
 032455 1-5
 020040
 020040
 032055 1-4
 020040
 020040
 020040
 031455 1-3
 020040
 020040
 031055 1-2
 020040
 020040
 030455 1-1
 020040
 020040
 030040 10
 020040
 020040
 030453 1+1
 020040
 020040
 031053 1+2
 020040
 020040
 031453 1+3
 020040
 020040
 032053 1+4
 020040

741	003572	020040	020040	
742	003574	032453	032453	1+5
743	003576	020040	020040	128P
744	003600	020040	020040	128P
745	003602	051117	051117	10R
746	003604	177777	177777	1TERMINATOR
747				
748				
749	003606	020040	SPACE1 020040	12 SPACES
750	003610	177440	177440	11 SPACE AND TERMINATOR
751	003612	030061	KJK1 030061	
752	003614	030060	030060	
753	003616	177777	177777	
754				
755			ANALOG TO DIGITAL CONVERSIONS ARE STORED IN FOLLOWING	
756			1024 LOCATIONS	
757	003620	000000	TAB1 0	
758		000001		.END

COMMEN	10
ENDCOM	10
ESCAPE	10
GETPRI	10
GETSWR	10
MULT	10
NEWTST	10
POP	10
PUSH	10
REPORT	10
SETPRI	10
SETUP	10
SKIP	10
SLASH	10
STARS	10
SWRSU	10
TYPBIN	10
TYPDEC	10
TYPNAM	10
TYPNUM	10
TYPOCS	10
TYPCT	10
TYPTXT	10
SSESCA	10
SSNEWY	10
SSSKIP	10
.EQUAT	10
.HEADE	10
.KT11	10
.SETUP	10
.SWRHI	10
.SACT1	10
.SAPT8	10
.SAPTH	10
.SAPTY	10
.SASTA	10
.SCATC	10
.SCMTA	10
.SDB2D	10
.SDB2O	10
.SDIV	10
.SEOP	10
.SERRO	10
.SERRT	10
.SMULT	10
.SPOWE	10
.SRAND	10
.SRDDE	10
.SRDOC	10
.SREAD	10
.SR2AZ	10
.SSAVE	10
.SSB2D	10
.SSB2O	10
.SSCOP	10
.SSIZE	10

.SSUPR	10
.STRAP	10
.STYPS	10
.STYPO	10
.STYPE	10
.STYPO	10
.S40CA	10
.1170	10

ADC	284														
ADD	282	283	335	573	582	644									
ASL	571	578													
ASR	305														
BCS	307														
BEQ	207	214	210	220	232	257	271	280	329	312	320	324	328	437	497
	500	505	510	515	520	523	652								
BIC	250	697													
BIT	256	319	323	327	542										
BMI	621	660	672												
BNE	346	353	391	395	399	403	407	411	415	420	424	428	432	472	475
	478	481	484	487	503	508	513	518	543	553	555	561	585	591	631
	662														
BPL	246	268	463	466	589	624	645	665	670	701					
BR	176														
CLR	184	224	234	277	278	303	315	376	377	378	379	380	381	382	383
	384	385	386	561	569	577									
CMP	213	227	390	394	398	402	406	410	414	418	423	427	431	474	477
	480	483	486	554	590	661									
DEC	358														
HALT	44	46	48	50	52	54	56	58	60	62	64	66	68	70	72
	74	76	78	80	82	84	86	88	90	92	94	96	98	100	102
	104	106	108	110	112	114	116	118	120	122	124	126	128	130	132
	134	136	138	140	142	144	146	148	150	152	154	156	158	160	162
	164	166	168	170											
INC	217	230	231	266	270	287	308	311	314	343	345	352	392	396	400
	404	408	412	416	421	425	429	433	435	436	525	552	580	564	650
JMP	178	187	190	219	233	235	250	260	272	289	291	310	313	322	326
	330	393	397	401	405	409	413	417	422	426	430	434	438	473	476
	479	482	485	488	498	501	506	511	516	521	524	625	633	648	653
	667	673	704												
JSR	252	253	254	255	259	536	538	539	540	541	545	546	549	551	557
	560														
MOV	174	177	180	182	189	206	209	210	211	212	223	225	226	244	248
	251	264	265	269	279	280	281	304	321	325	329	340	341	342	344
	347	348	349	351	387	388	389	461	464	471	537	544	547	548	550
	556	559	560	570	574	575	576	583	586	587	632	634	635	636	637
	638	639	640	642	643	649	650	663	668	695	699	702			
MOVB	622	698													
NOP	175	185	186	188	285	286	290	332	334	355	356	409	491	492	493
	705														
RESET	703														
ROL	216	572	579												
ROR	306														
RTS	273	336	354	439	467	526	550	562	592	626	675				
SWAB	249	696													
TST	247	496	499	502	504	507	509	512	514	517	519	522	638	641	646
	647	651	659	666	671	674									
TSTB	245	267	462	465	588	628	629	664	669	700					
.ENABL	1														
.END	758														
.LIST	1														
.MACRO	1														
.NLIST	1														
.REPT	43														

.MAIN. MACY11 27(732) 17-SEP-76 10:56 PAGE 31
DZADI.P11 CROSS REFERENCE TABLE -- PERMANENT SYMBOLS

ERRORS DETECTED: 0
DEFAULT GLOBALS GENERATED: 0

*,DZADI/SOL/CRF/PAGNUM=SYSMAC.SML(400,1060),DZADI(400,4571)
RUN-TIME: 21 23 1 SECONDS
RUN-TIME RATIO: 230/40=4.9
CORE USED: 32K (63 PAGES)