



```

DDDDDDDD      CCCCCCCC  LL      TTTTTTTTTT  AAAAAA  BBBB8888  LL      EEEEEEEEE  222222
DDDDDDDD      CCCCCCCC  LL      TTTTTTTTTT  AAAAAA  BBBB8888  LL      EEEEEEEEE  222222
DD      DD      CC      TT      AA      AA  BB      BB  LL      EE      22      22
DD      DD      CC      TT      AA      AA  BB      BB  LL      EE      22      22
DD      DD      CC      TT      AA      AA  BB      BB  LL      EE      22      22
DD      DD      CC      TT      AA      AA  BB      BB  LL      EE      22      22
DD      DD      CC      TT      AA      AA  BB888888  LL      EEEEEEEEE  22      22
DD      DD      CC      TT      AA      AA  BB888888  LL      EEEEEEEEE  22      22
DD      DD      CC      TT      AAAAAAAAAA  BB      BB  LL      EE      22      22
DD      DD      CC      TT      AAAAAAAAAA  BB      BB  LL      EE      22      22
DD      DD      CC      TT      AA      AA  BB      BB  LL      EE      22      22
DD      DD      CC      TT      AA      AA  BB      BB  LL      EE      22      22
DD      DD      CC      TT      AA      AA  BB888888  LLLLLLLLLL  EEEEEEEEE  2222222222  ....
DD      DD      CC      TT      AA      AA  BB888888  LLLLLLLLLL  EEEEEEEEE  2222222222  ....

```

```

LL      I11111  SSSSSSSS
LL      I11111  SSSSSSSS
LL      I1      SS
LL      I1      SS
LL      I1      SS
LL      I1      SS
LL      I1      SSSSSS
LL      I1      SSSSSS
LL      I1      SS
LL      I1      SS
LL      I1      SS
LL      I1      SS
LLLLLLLLLL  I11111  SSSSSSSS
LLLLLLLLLL  I11111  SSSSSSSS

```

```
1  |
2  |
3  |
4  |
5  | define type check_options
6  |     keyword all
7  |     keyword none
8  |     keyword bounds,          negatable
9  |     keyword overflow,       negatable
10 |     keyword underflow,     negatable
11 |
12 | define type debug_options
13 |     keyword all
14 |     keyword none
15 |     keyword symbols,        negatable
16 |     keyword traceback,      negatable
17 |
18 | define type show_options
19 |     keyword all
20 |     keyword none
21 |     keyword preprocessor,    negatable
22 |     keyword include,         negatable
23 |     keyword MAP,             negatable
24 |
25 | define type standard_options
26 |     keyword all
27 |     keyword none
28 |     keyword syntax,          negatable
29 |     keyword source_form,     negatable
30 |
31 | define syntax fortran_using_f77
32 |     image backtrans
33 |
34 | define syntax dml
35 |     image fordml
36 |
37 | define verb fortran
38 |     image fortran
39 |     prefix cl$%_fort
40 |     parameter p1,prompt='file',value(required,list,type=$infile),label=infile
41 |     qualifier check,          value(list,type=check_options)
42 |     qualifier continuations,nonnegatable,default,value(default=19)
43 |     qualifier cross_reference
44 |     qualifier debug,          value(list,type=debug_options)
45 |     qualifier d_lines
46 |     qualifier f77              default
47 |     qualifier g_floating
48 |     qualifier i4,              default
49 |     qualifier listing,         value(type=$outfile),batch,label=output2
50 |     qualifier machine_code
51 |     qualifier object,         value(type=$outfile),default,label=output1
52 |     qualifier optimize,       default
53 |     qualifier variant,        value(list)
54 |     qualifier warnings,       DEFAULT
55 |     qualifier work_files,     value
56 |     qualifier rsx1T,          syntax=fortran_using_f77
```

H 16  
14-JAN-1985 10:57  
14-JAN-1985 10:55

VAX VMS Command Definition Utility (V4-001) Page 2  
\_S255SDUA18:[CLD.BUGSRC]FORTRAN.CLD;1 (1)

```
57      qualifier library,      placement=local
58      qualifier show,        value(list,type=show_options)
59      qualifier standard,    value(list,type=standard_options)
60      qualifier dml,         syntax=dml
61      outputs(output1,output2)
```

```
$ SET COMMAND SRC$:FORTRAN.CLD,PASCAL.CLD/TABLES=EXE$:DCLTABLES/OUTPUT=EXE$:DCLTABLES/LISTING=LIS$:DCLTABLE2
```

I 16  
14-JAN-1985 10:57  
14-JAN-1985 10:55

VAX/VMS Command Definition Utility (V4-001)  
\_S255\$DUA18:[CLD.BUGSRC]PASCAL.CLD;1 (1)

Page 1

```
1 DEFINE VERB pascal
2   IMAGE pascal
3   PARAMETER p1, LABEL=input1, VALUE(REQUIRED, LIST, IMPCAT, TYPE=$INFILE), PROMPT='file'
4   QUALIFIER check, DEFAULT, VALUE(LIST), PLACEMENT=POSITIONAL
5   QUALIFIER cross_reference, PLACEMENT=POSITIONAL
6   QUALIFIER debug, DEFAULT, VALUE(LIST), PLACEMENT=POSITIONAL
7   QUALIFIER error_limit, DEFAULT, VALUE(DEFAULT='30'), PLACEMENT=POSITIONAL
8   QUALIFIER list, LABEL=output2, VALUE(TYPE=$OUTFILE), BATCH, PLACEMENT=POSITIONAL
9   QUALIFIER machine_code, PLACEMENT=POSITIONAL
10  QUALIFIER object, LABEL=output1, VALUE(TYPE=$OUTFILE), DEFAULT, PLACEMENT=POSITIONAL
11  QUALIFIER standard, PLACEMENT=POSITIONAL
12  QUALIFIER warnings, DEFAULT, PLACEMENT=POSITIONAL
13  QUALIFIER environment, LABEL=output3, VALUE(TYPE=$OUTFILE), PLACEMENT=POSITIONAL
14  QUALIFIER g_floating, PLACEMENT=POSITIONAL
15  QUALIFIER old_version, PLACEMENT=POSITIONAL
16  QUALIFIER optimize, DEFAULT, PLACEMENT=POSITIONAL
17  OUTPUTS (output1, output2)
```

```
$ SET COMMAND SRC$:FORTRAN.CLD,PASCAL.CLD/TABLES=EXES:DCLTABLES/OUTPUT=EXES:DCLTABLES/LISTING=LISS:DCLTABLE2
```

0439

AH-EF71A-SE  
VAX/VMS V4.1 SRC LST MCRF UPD

BADBLK

BADBLOCK  
MAP

DELETE  
CLD

DCLTABLE1  
LIS

DCLTABLE2  
LIS

DCLINT  
CLD

SHOW  
CLD

SCANFILE  
LIS

DRIVER

TSRDRIVER  
MAP

CLD

DCLTABLES  
MAP