

# FIXED-DENSITY DE BRUIJN SEQUENCES\*

FRANK RUSKEY<sup>†</sup>, JOE SAWADA<sup>‡</sup>, AND AARON WILLIAMS<sup>§</sup>

**Abstract.** De Bruijn sequences are circular strings of length  $2^n$  whose substrings are the binary strings of length  $n$ . Our focus is on de Bruijn sequences for binary strings that have the same density (number of 1s). We construct circular strings of length  $\binom{n-1}{d} + \binom{n-1}{d-1}$  whose substrings of length  $n-1$  are the binary strings with density  $d$  or  $d-1$ . We call these fixed-density de Bruijn sequences since they have length  $\binom{n}{d}$  and each substring uniquely extends to a binary string of length  $n$  with density  $d$  by appending its ‘missing’ redundant bit. Our construction is reminiscent of the lexicographically smallest de Bruijn sequence except the underlying algorithm is applied to cool-lex order instead of lexicographic order. Additionally, our construction can be implemented so that successive blocks of  $n$  bits are generated in constant amortized time (CAT) while using  $O(n \log n)$ -space.

**Key words.** universal cycles, de Bruijn sequences, FKM algorithm, necklaces, Lyndon words, cool-lex order, middle-levels, shift Gray code

**1. Introduction.** All strings in this paper are binary. Let  $\mathbf{B}(n)$  denote the set of strings with length  $n$ . A *de Bruijn sequence for  $\mathbf{B}(n)$*  (or simply a *de Bruijn sequence*) is a circular string of length  $2^n$  that contains each string in  $\mathbf{B}(n)$  exactly once as a substring. De Bruijn sequences are also known as de Bruijn cycles. A de Bruijn sequence for  $\mathbf{B}(3)$  appears in Figure 1.1, where the substrings are read clockwise from 12 o’clock and allow wrap-around.




FIG. 1.1. A de Bruijn sequence for  $\mathbf{B}(3)$ .

One can prove that de Bruijn sequences exist for  $\mathbf{B}(n)$  by using an Eulerian cycle in its associated de Bruijn graph. However, this proof does not directly lead to an efficient method of constructing an individual de Bruijn sequence due to the exponential size of the associated graph ( $2^{n-1}$  nodes and  $2^n$  directed arcs). Algorithmically, a fundamental question is determining the complexity of generating a specific de Bruijn sequence. Perhaps the most famous construction is for the lexicographically smallest de Bruijn sequence, which Knuth calls the “grand-daddy” [12].

De Bruijn sequences have many applications including dynamic connections in overlay networks (Fraigniaud and Gauron [6]), genomics (Alexeyev and Pezner [1]), and software calculation of the ruler function in computer words (Knuth [13], Leiserson, Prokop, and Randall [14]). De Bruijn sequences also appear in many elementary books on discrete mathematics. Generalizations and variations have been investigated, most famously under the name *universal cycles* (see Chung, Graham and Diaconis [3]). Interested readers can also refer to the *Generalizations of de Bruijn Cycles and Gray Codes* proceedings [11].

Our paper gives a new variation of de Bruijn sequences that restricts the *density* (number of 1s) of each string. Let  $\mathbf{B}_d(n)$  denote the set of length  $n$  strings with *fixed-density*  $d$  and let  $\mathbf{B}_c^d(n)$  denote the set of length  $n$  strings with *density-range*  $c, c+1, \dots, d$ . In general, if  $\mathbf{L}$  is a subset of  $\mathbf{B}(n)$ , then a *de Bruijn sequence for  $\mathbf{L}$*  is a circular string of length  $|\mathbf{L}|$  containing each string in  $\mathbf{L}$  exactly once as a substring.

---

\*Research supported in part by an NSERC discovery grant.

<sup>†</sup>Department of Computer Science, University of Victoria, PO Box 3010 STN CSC, Victoria BC, V8W 3N4, Canada  
ruskey@cs.uvic.ca

<sup>‡</sup>School of Computer Science, University of Guelph, 217 Reynolds, Guelph ON, N1G 2W1, Canada jsawada@uoguelph.ca

<sup>§</sup>School of Mathematics and Statistics, Carleton University 1125 Colonel By Drive, Ottawa ON, K1S 5B6, Canada  
haron@uvic.ca

Strictly speaking, de Bruijn sequences for  $\mathbf{B}_d(n)$  only exist in trivial cases when  $d \in \{0, 1, n-1, n\}$ . For example, the circular strings of length  $\binom{4}{2} = 6$  containing 0011 and 1100 are  $\begin{smallmatrix} 1 & 0 \\ \swarrow & \searrow \\ 0 & 1 \end{smallmatrix}$ ,  $\begin{smallmatrix} 0 & 0 \\ \swarrow & \searrow \\ 1 & 1 \end{smallmatrix}$ , and  $\begin{smallmatrix} 0 & 1 \\ \swarrow & \searrow \\ 1 & 0 \end{smallmatrix}$  but none are de Bruijn sequences for  $\mathbf{B}_2(4)$ . However, we can take advantage of a simple fact: The last bit of each string in  $\mathbf{B}_d(n)$  is redundant. That is, each  $\alpha \in \mathbf{B}_d(n)$  is completely determined by its first  $n-1$  bits. For this reason, we say that a de Bruijn sequence for  $\mathbf{B}_{d-1}^d(n-1)$  with  $1 < d < n$  is a *fixed-density de Bruijn sequence for  $\mathbf{B}_d(n)$* . The circular string in Figure 1.2 is a fixed-density de Bruijn sequence for  $\mathbf{B}_3(5)$ . Its substrings of length four include each string in  $\mathbf{B}_2^3(4)$  exactly once; appending the ‘missing’ bit extends each substring to a unique string in  $\mathbf{B}_3(5)$ . In general, the *shorthand sequence* of a fixed-density de Bruijn sequence for  $\mathbf{B}_d(n)$  is its circular sequence of substrings of length  $d-1$  and the *longhand sequence* is obtained by appending the missing bit to each string in the shorthand sequence so that each resulting string has density  $d$ .




FIG. 1.2. A fixed-density de Bruijn sequence for  $\mathbf{B}_3(5)$ .

Our main result is a construction of fixed-density de Bruijn sequences for any  $\mathbf{B}_d(n)$ . A subsequent analysis in [21] shows that our ‘‘cool-daddy’’ de Bruijn sequences can be created efficiently, with successive blocks of  $n$  bits being generated in amortized  $O(1)$ -time while using only  $O(n \log n)$ -space. This is an improvement over algorithms that construct universal cycles one symbol at a time (see [19] for an example). The space measurement is also important since certain algorithms for generating universal cycles use exponential space.

This paper is organized as follows: Section 2 discusses de Bruijn graphs, Section 3 describes how to construct a single de Bruijn sequence, Section 4 describes a modified version of this construction, Section 5 covers ‘‘cool-lex’’ order, Section 6 provides the ‘‘cool-daddy’’ construction, and Section 7 concludes with open problems.

**2. de Bruijn Graphs.** The *de Bruijn graph* for  $\mathbf{B}(n)$  is a directed graph whose node set is  $\mathbf{B}(n-1)$ . For each node  $\alpha = a_1 \cdots a_{n-1}$  and  $x \in \{0, 1\}$  there is an arc labeled  $x$  that is directed from  $\alpha$  to  $\beta = a_2 \cdots a_{n-1}x$ . Each arc represents a unique string  $\alpha x \in \mathbf{B}(n)$ . The de Bruijn graph for  $\mathbf{B}(4)$  is illustrated in Figure 2.1.




FIG. 2.1. The de Bruijn graph for  $\mathbf{B}(4)$ .

More generally, the *de Bruijn graph* for  $\mathbf{L} \subseteq \mathbf{B}(n)$  is a directed graph  $G(\mathbf{L})$  whose nodes are the length  $n-1$  prefixes and suffixes of the strings in  $\mathbf{L}$ . There is an arc labeled  $x \in \{0, 1\}$  from  $\alpha = a_1 \cdots a_{n-1}$  to  $\beta = a_2 \cdots a_{n-1}x$  if  $\alpha x \in \mathbf{L}$ . Again, each arc represents a unique string  $\alpha x \in \mathbf{L}$ . We are interested in de Bruijn graphs for  $\mathbf{L} = \mathbf{B}_{d-1}^d(n)$ . Figure 2.2 (b) illustrates the important observation that the node set of  $G(\mathbf{B}_{d-1}^d(n))$  is  $\mathbf{B}_{d-2}^d(n-1)$ .

A directed graph is *Eulerian* if it has a directed cycle that includes each arc exactly once. It is well-known that a directed graph is Eulerian if and only if it is *balanced* (every node has the same number of incoming and outgoing arcs) and *strongly connected* (there is a directed path from any node to any other node). Furthermore, Eulerian cycles in  $G(\mathbf{L})$  are in one-to-one correspondence with de Bruijn sequences for




FIG. 2.2. Two de Bruijn graphs (a)  $G(\mathbf{B}_2(4))$ , and (b)  $G(\mathbf{B}_2^3(4))$ .

L. For example, Figure 2.2 (a) shows that  $G(\mathbf{B}_2(4))$  is not strongly connected, and this provides an alternate way to observe that there are no de Bruijn sequences for  $\mathbf{B}_2(4)$ . The connection between de Bruijn sequences and de Bruijn graphs can be found in de Bruijn’s paper for  $\mathbf{B}(n)$  [4]; also see his note on the history of these observations [5]. Table 2.1 illustrates the connection between an Eulerian cycle in Figure 2.2 (b) and the fixed-density de Bruijn sequence in Figure 1.2.

| Eulerian cycle      |                 | Substrings          |                   |
|---------------------|-----------------|---------------------|-------------------|
| nodes               | arcs            | shorthand           | longhand          |
| 011                 | 0               | 0110                | 01101             |
| 110                 | 0               | 1100                | 11001             |
| 100                 | 1               | 1001                | 10011             |
| 001                 | 1               | 0011                | 00111             |
| 011                 | 1               | 0111                | 01110             |
| 111                 | 0               | 1110                | 11100             |
| 110                 | 1               | 1101                | 11010             |
| 101                 | 0               | 1010                | 10101             |
| 010                 | 1               | 0101                | 01011             |
| 101                 | 1               | 1011                | 10110             |
| $\mathbf{B}_1^3(3)$ | $\mathbf{B}(1)$ | $\mathbf{B}_2^3(4)$ | $\mathbf{B}_3(5)$ |
| (i)                 | (ii)            | (iii)               | (iv)              |

TABLE 2.1

(i) The nodes along an Eulerian cycle in the de Bruijn graph  $G(\mathbf{B}_2^3(4))$  from Figure 2.2 (b), (ii) arc labels on this Eulerian cycle, and the fixed-density de Bruijn sequence for  $\mathbf{B}_3(5)$  in Figure 1.2, (iii) its shorthand sequence, and (iv) its longhand sequence.

Table 2.1 illustrates that  $G(\mathbf{B}_2^3(4))$  is Eulerian. The remainder of this section shows that  $G(\mathbf{B}_{d-1}^d(n))$  is Eulerian. Since  $G(\mathbf{B}_{d-1}^d(n))$  is directed, we shorten *directed path* to *path*.

LEMMA 2.1.  $G(\mathbf{B}_{d-1}^d(n))$  is balanced for  $1 < d < n$ .

*Proof.* The node set of  $G(\mathbf{B}_{d-1}^d(n))$  is  $\mathbf{B}_{d-2}^d(n-1)$ . Each  $\alpha \in \mathbf{B}_{d-1}(n-1)$  has in- and out-degree 2, and each  $\alpha \in \mathbf{B}_{d-2}(n-1) \cup \mathbf{B}_d(n-1)$  has in- and out-degree 1.  $\square$




FIG. 2.3. Shortest path from 0000000011111111 to 1111000011111000 in (a)  $G(\mathbf{B}(18))$  and (b)  $G(\mathbf{B}_8^9(18))$ . Nodes are read top-to-bottom with black and white squares respectively for 0 and 1.

The fact that many nodes in  $G(\mathbf{B}_{d-1}^d(n))$  have out-degree 1 contributes to the difficulty of proving that it is strongly-connected. As a specific example, a maximum length shortest path in  $G(\mathbf{B}_8^9(18))$  is illustrated

in Figure 2.3 (b) and has length 85. In contrast, Figure 2.3 (a) illustrates that trivial paths of length at most  $n-1$  exist between each pair of nodes in the original de Bruijn graph  $G(\mathbf{B}(n))$ . To prove that  $G(\mathbf{B}_{d-1}^d(n))$  is strongly connected we repeatedly apply the following lemma.

**LEMMA 2.2.** *Let  $\alpha = a_1 \cdots a_n$  and  $\beta = b_1 \cdots b_n$  be different nodes in  $G(\mathbf{B}_{d-1}^d(n))$  where  $1 < d < n$ . If  $i$  is the smallest integer such that  $a_i \neq b_i$ , then there exists a path from  $\alpha$  to some node with prefix  $b_1 \cdots b_i$*

*Proof.* We assume  $a_i = 0$  since the  $a_i = 1$  case is similar. Note that  $\alpha$  has three possible densities since the node set of  $G(\mathbf{B}_{d-1}^d(n))$  is  $\mathbf{B}_{d-2}^d(n-1)$ . For each density we provide a valid path (labeled by the arcs) that ends at a node with prefix  $b_1 \cdots b_i$ .

If  $\alpha$  has density  $d-2$ , then this path suffices:  $\langle 1, a_1, \dots, a_{i-1}, 1, a_{i+1}, \dots, a_{n-1} \rangle$ . If  $\alpha$  has density  $d-1$ , then this path suffices:  $\langle 0, a_1, \dots, a_{i-1}, 1, a_{i+1}, \dots, a_{n-1} \rangle$ . If  $\alpha$  has density  $d$ , then there exists  $i < j \leq n$  such that  $a_j = 1$ . (Otherwise,  $\alpha$ 's prefix  $a_1 \cdots a_{i-1}0$  has density  $d$ , implying  $\beta$ 's prefix  $a_1 \cdots a_{i-1}1$  has invalid density  $d+1$ .) First we find a path from  $\alpha$  to  $\gamma = a_1 \cdots a_{j-1}0a_{j+1} \cdots a_{n-1}$  as follows:  $\langle 0, a_1, \dots, a_{j-1}, 0, a_{j+1}, \dots, a_{n-1} \rangle$ . Since  $\gamma$  has density  $d-1$  and has the same prefix of length  $i$  as  $\alpha$ , we can complete our path by applying the path from the  $d-1$  case.  $\square$

Through repeated application of this lemma we obtain the following corollary.

**COROLLARY 2.3.**  *$G(\mathbf{B}_{d-1}^d(n))$  is strongly connected for  $1 < d < n$ .*

We obtain the following theorem from Lemma 2.1 and Corollary 2.3.

**THEOREM 2.4.**  *$G(\mathbf{B}_{d-1}^d(n))$  is Eulerian for  $1 < d < n$ .*

This theorem implies the existence of fixed-density de Bruijn sequences. In Section 6 we give an explicit construction.

**3. The FKM Algorithm.** While de Bruijn graphs can be used to prove that de Bruijn sequences exist, we are instead interested in efficiently constructing individual de Bruijn sequences. Martin [15] examined this issue in 1934, and proposed a simple backtracking approach that builds a de Bruijn sequence for  $\mathbf{B}(n)$  one bit at a time. In fact, by slightly modifying his presentation, the de Bruijn sequence he creates is the lexicographically smallest for each value of  $n$ . Unfortunately, Martin's approach is again algorithmically infeasible since it requires exponential space. Fredricksen, Kessler and Maiorana [8, 7] discovered a direct method — the “FKM algorithm” — for constructing the lexicographically smallest de Bruijn sequence for  $\mathbf{B}(n)$ .

Given the strings  $\alpha = a_1 \cdots a_n$  and  $\beta = b_1 \cdots b_m$  that are distinct,  $\alpha$  is less than  $\beta$  in lexicographic order if there exists an  $i$  such that  $a_1 \cdots a_i = b_1 \cdots b_i$  and either  $i = n$  or  $a_{i+1} < b_{i+1}$ . The sequence of a set of strings  $\mathbf{L}$  listed in lexicographic order is denoted  $\text{lex}(\mathbf{L})$ . A *necklace* is a string in its lexicographically smallest rotation. That is,  $\alpha = a_1 a_2 \cdots a_n$  is a necklace if  $a_j a_{j+1} \cdots a_n a_1 a_2 \cdots a_{j-1} \geq \alpha$  for all  $j$ . The set of all necklaces over  $\mathbf{B}(n)$  and  $\mathbf{B}_d(n)$  are denoted  $\mathbf{N}(n)$  and  $\mathbf{N}_d(n)$  respectively. The *aperiodic prefix* of string  $\alpha$  is its shortest prefix whose repeated concatenation yields  $\alpha$ . That is, the aperiodic prefix of  $\alpha = a_1 a_2 \cdots a_n$  is the shortest  $\gamma = a_1 a_2 \cdots a_k$  such that  $\gamma^{n/k} = \alpha$ , where exponentiation denotes repeated concatenation. The aperiodic prefix of  $\alpha$  is denoted by  $\rho(\alpha)$ . If  $\rho(\alpha)^{n/k} = \alpha$ , then the number of distinct rotations of  $\alpha$  is  $k$ ; we say that  $\alpha$  is *aperiodic* if  $k = n$  and is *periodic* otherwise. A *Lyndon word* is an aperiodic necklace. The set of all Lyndon words over  $\mathbf{B}(n)$  and  $\mathbf{B}_d(n)$  are denoted  $\mathbf{L}(n)$  and  $\mathbf{L}_d(n)$ , respectively. The *FKM algorithm* [7] produces a circular string  $\text{FKM}(n)$  that is the concatenation of the Lyndon words whose length

divides  $n$  in lexicographic order. That is,

$$\text{FKM}(n) = \ell_1 \cdot \ell_2 \cdots \ell_m \text{ where } \text{lex} \left( \bigcup_{j|n} \mathbf{L}(n/j) \right) = \ell_1, \ell_2, \dots, \ell_m. \quad (3.1)$$

Figure 3.1 illustrates  $\text{FKM}(6)$ , where  $\cdot$  visually separates each Lyndon word. The surprising connection between lexicographic order, the FKM algorithm, and de Bruijn sequences is given in Theorem 3.1.

**THEOREM 3.1** (“Grand-daddy” [7]).  *$\text{FKM}(n)$  is a de Bruijn sequence for  $\mathbf{B}(n)$ .*




FIG. 3.1. Concatenating the Lyndon words of length 1, 2, 3, 6 in lexicographic order in (a) gives the “grand-daddy” de Bruijn sequence  $\text{FKM}(6)$  in (b). This construction can also be obtained by concatenating the aperiodic prefix in (d) of the necklaces of length 6 in (c).

The de Bruijn sequence in Theorem 3.1 is also the lexicographically smallest de Bruijn sequence for each  $\mathbf{B}(n)$ . A careful analysis by Ruskey, Savage, and Wang [16] proved that each successive bit in  $\text{FKM}(n)$  can be generated in amortized  $O(1)$ -time while using  $O(n)$ -space. In fact, their algorithm visits successive blocks of  $n$  bits in this time and space complexity. Unfortunately, fixed-density de Bruijn sequences are not created by restricting the FKM algorithm to the appropriate fixed-density Lyndon words. To make this observation precise, let

$$\text{FKM}_d(n) = \ell_1 \cdot \ell_2 \cdots \ell_m \text{ where } \text{lex} \left( \bigcup_{j|\text{gcd}(d,n)} \mathbf{L}_{d/j}(n/j) \right) = \ell_1, \ell_2, \dots, \ell_m. \quad (3.2)$$

Figure 3.2 illustrates that  $\text{FKM}_4(8)$  is not a fixed-density de Bruijn sequence. In particular,  $\text{FKM}_4(8)$  has *invalid substrings* such as  $0100100 \notin \mathbf{B}_3^4(7)$ , and *repeated substrings* such as  $1110001$ .

Although  $\text{FKM}_d(n)$  is not a fixed-density de Bruijn sequence, it does have the correct length of  $\binom{n}{d}$ . To understand why this is true, observe that if  $\alpha \in \mathbf{B}_d(n)$  has  $k$  distinct rotations, then the rotations of  $\alpha$  will contribute  $k$  bits to  $\text{FKM}_d(n)$ . Since  $\text{FKM}_d(n)$  has the correct length, we will consider ‘rearranging’ its constituent Lyndon words in Section 6.

**4. Necklace-Prefix Algorithm.** In this section we reformulate the FKM algorithm and then provide a simple generalization. Instead of describing  $\text{FKM}(n)$  as the concatenation of Lyndon words whose length divides  $n$ , it can be described as the concatenation of the aperiodic prefixes of the necklaces of length  $n$ . That is,

$$\text{FKM}(n) = \rho(\eta_1) \cdot \rho(\eta_2) \cdots \rho(\eta_m) \text{ where } \text{lex}(\mathbf{N}(n)) = \eta_1, \eta_2, \dots, \eta_m. \quad (4.1)$$




FIG. 3.2. Concatenating the Lyndon words of length 2, 4, 8 and density 1, 2, 4 respectively in lexicographic order in (a) does not give a fixed-density de Bruijn sequence  $\text{FKM}_4(8)$  in (b). The substring 1110001 is repeated, and the substring 010010 is invalid. This construction can also be obtained by concatenating the aperiodic prefix in (d) of the necklaces of length 8 and density 4 in (c).

To see why the concatenations in (3.1) and (4.1) are identical, simply observe that  $\rho(\eta_i) = \ell_i$ . The fixed-density variant of  $\text{FKM}(n)$  can be similarly described as follows

$$\text{FKM}_d(n) = \rho(\eta_1) \cdot \rho(\eta_2) \cdots \rho(\eta_m) \text{ where } \text{lex}(\mathbf{N}_d(n)) = \eta_1, \eta_2, \dots, \eta_m. \quad (4.2)$$

These two restatements of the FKM algorithm are illustrated in Figure 3.1 (c)-(d) and 3.2 (c)-(d). The advantage of (4.2) over (3.2) is that the lexicographic order of fixed-density necklaces can be easily replaced by any other order of fixed-density necklaces. For the remainder of this article, a *necklace-prefix algorithm* refers to the concatenation of the aperiodic prefixes of  $\mathbf{N}_d(n)$  arranged in some order. The end of Section 3 explains why the necklace-prefix algorithm produces circular strings of the correct length.

There are two previously known Gray codes for fixed-density necklaces by Wang and Savage [23] and Ueda [22]. However, in both of these cases the necklace-prefix algorithm does not produce a fixed-density de Bruijn sequence due to invalid strings that are explained by the following lemma.

LEMMA 4.1. *Suppose  $\mathcal{L}$  is an ordering of  $\mathbf{N}_d(n)$  that contains consecutive aperiodic necklaces  $\alpha = a_1 \cdots a_n$  and  $\beta = b_1 \cdots b_n$ . If there exists  $j$  such that*

$$\sum_{i=1}^j a_i - \sum_{i=1}^{j-1} b_i \notin \{0, 1\},$$

*then applying the necklace-prefix algorithm to  $\mathcal{L}$  will not result in a fixed-density de Bruijn sequence for  $\mathbf{B}_d(n)$  due to invalid substrings.*

*Proof.* Observe that  $\gamma = a_{j+1} \cdots a_n b_1 \cdots b_{j-1}$  is an invalid substring since

$$\Sigma\gamma = d - \Sigma(a_1 \cdots a_j) + \Sigma(b_1 \cdots b_{j-1}) \notin \{d, d-1\}.$$

□

The invalid substring 0100100 in Figure 3.2 is explained by Lemma 4.1 using  $\alpha = 00011101$ ,  $\beta = 00100111$ , and  $j = 6$ . The lemma also suggests that the necklace-prefix algorithm should be applied to Gray codes that do not significantly change the sum of each prefix. Such an ordering is discussed in the next

section.

**5. Cool-lex Order.** This section discusses the *cool-lex* Gray code whose reverse order will be used to construct fixed-density de Bruijn sequences in the next section. Cool-lex order is a *shift Gray code* for fixed-density binary strings, meaning successive strings differ by a shift [18]. If  $\alpha = a_1a_2 \cdots a_n$ , then a *shift* from the  $j$ th position to the  $i$ th position with  $i < j$  causes the substring  $a_i a_{i+1} \cdots a_j$  to be replaced by  $a_j a_i a_{i+1} \cdots a_{j-1}$ . In other words, the symbol  $a_j$  is removed and then reinserted somewhere to the left in position  $i$ ; the intermediate symbols accommodate this shift by moving one position to the right. This operation is denoted by  $\text{shift}_\alpha(j, i)$ , which we shorten to  $\text{shift}(j, i)$  when the initial string is clear. There is a very simple rule for cyclically creating the cool-lex order of  $\mathbf{B}_d(n)$  one string at a time: If  $\alpha \in \mathbf{B}_d(n)$  and  $k$  is the length of its longest prefix of the form  $0^*1^*$ , then the next string in cool-lex order is  $\text{shift}(\min(k+2, n), 1)$ . (In our discussion, all bits are complemented with respect to the original presentation of cool-lex order in [18].) By convention, cool-lex order of  $\mathbf{B}_d(n)$  ends with  $0^{n-d}1^d$ . Table 5.1 (a)-(b) illustrates the cool-lex order of  $\mathbf{B}_4(8)$  and the shifts according to this rule.

| cool( $\mathbf{B}_4(8)$ ) | Gray code   | cool( $\mathbf{N}_4(8)$ ) | Gray code   | case   | condition                 | reverse  |
|---------------------------|-------------|---------------------------|-------------|--------|---------------------------|----------|
| 10000111                  | shift(8, 1) | 00100111                  | shift(4, 1) | (5.1b) | $a_{s+t+2} = 0$           | 00001111 |
| 01000111                  | shift(4, 1) | 00010111                  | shift(6, 3) | (5.1c) |                           | 00011101 |
| 00100111                  | shift(5, 1) | 00101011                  | shift(5, 4) | (5.1c) |                           | 00110101 |
| 00010111                  | shift(6, 1) | 00110011                  | shift(5, 1) | (5.1b) | $a_{s+t+2} = 0$           | 01010101 |
| 10001011                  | shift(3, 1) | 00011011                  | shift(7, 3) | (5.1c) |                           | 00101101 |
| ...                       | ...         | 00101101                  | shift(5, 2) | (5.1c) |                           | 00011011 |
| 01111000                  | shift(7, 1) | 01010101                  | shift(3, 1) | (5.1b) | $\beta \notin \mathbf{L}$ | 00110011 |
| 00111100                  | shift(8, 1) | 00110101                  | shift(5, 1) | (5.1b) | $\beta \notin \mathbf{L}$ | 00101011 |
| 00011110                  | shift(8, 1) | 00011101                  | shift(7, 1) | (5.1b) | $\beta \notin \mathbf{L}$ | 00010111 |
| 00001111                  | shift(8, 1) | 00001111                  | shift(8, 2) | (5.1a) |                           | 00100111 |
| (a)                       | (b)         | (c)                       | (d)         | (e)    | (f)                       | (g)      |

TABLE 5.1

(a) Cool-lex orders for  $\mathbf{B}_4(8)$  and (b) the shifts that generate this order. The cool-lex order of  $\mathbf{N}_4(8)$  appears in (c), along with (d)-(f) the corresponding shifts according to (5.1), and (g) its reverse order.

Given  $\mathbf{L} \subseteq \mathbf{B}_d(n)$  let  $\text{cool}(\mathbf{L})$  represent the order of strings in  $\mathbf{L}$  according to the cool-lex order of  $\mathbf{B}_d(n)$ . Recently, it was shown that  $\text{cool}(\mathbf{N}_d(n))$  is also a shift Gray code [17]. Furthermore, the following rule cyclically creates the order one string at a time<sup>1</sup> [17]. Table 5.1 (c)-(f) illustrates the cool-lex order of  $\mathbf{N}_4(8)$  along with the shifts and cases according to this rule.

| Cool-lex Gray code for Necklaces  |  |
|---|--|
| Let $\alpha = 0^s 1^t \gamma \in \mathbf{N}_d(n)$ with $s, t > 0$ and $\gamma$ is empty or begins with 0. The necklace following $\alpha$ in cool-lex order is denoted $\text{next}(\alpha)$ and is obtained from $\alpha$ by the following shift |  |
| $\text{next}(\alpha) =$   | $\begin{cases} \text{shift}(s+t, i) & \text{if } \gamma = \epsilon & (5.1a) \\ \text{shift}(s+t+1, 1) & \text{if } a_{s+t+2} = 0 \text{ or } \beta \notin \mathbf{L} & (5.1b) \\ \text{shift}(s+t+2, i) & \text{otherwise} & (5.1c) \end{cases}$ |
| where $\beta = \text{shift}_\alpha(s+t+2, s+t+1)$ , and $i$ is the minimum value such that $0^i 10^{s-i} 1^{t-1} \gamma \in \mathbf{L}$ .   |  |

In [21] it is proven that  $\text{cool}(\mathbf{N}_d(n))$  can be generated in constant amortized time. *Reverse cool-lex order* is identical to cool-lex order except the relative order of the strings is reversed (see Table 5.1 (c) and (g)).

<sup>1</sup>Condition 5.1b is slightly simplified here since  $0^n$  is the only necklace ending in 0.

The advantage of reverse cool-lex order is that it satisfies Lemma 4.1. We complete this section with two results.

LEMMA 5.1. [17] *If  $\alpha$  is a necklace, then swapping its first 10 (if it exists) by 01 yields another necklace.*

LEMMA 5.2. *If  $\alpha$  is periodic, then  $\text{next}(\alpha)$  is aperiodic.*

*Proof.* There are two cases. If  $a_{s+t+2} = 0$ , then  $\text{next}(\alpha) = \text{shift}(s+t+1, 1)$  by (5.1b). If  $a_{s+t+2} = 1$ , then  $\beta = \text{shift}(s+t+2, s+t+1) \notin \mathbf{N}_d(n)$  and so  $\text{next}(\alpha) = \text{shift}(s+t+1, 1)$  by (5.1b). Therefore,  $0^{s+1}$  is a prefix of  $\text{next}(\alpha)$  so it is aperiodic since this is its only  $0^{s+1}$  substring.  $\square$

**6. Cool-Daddy de Bruijn sequences.** Let  $\mathbf{C}_d(n)$  denote the result of applying the necklace-prefix algorithm to the reverse cool-lex order of the necklaces of length  $n$  and density  $d$ . That is,

$$\mathbf{C}_d(n) = \rho(\eta_1) \cdot \rho(\eta_2) \cdots \rho(\eta_m) \text{ where } \text{cool}(\mathbf{N}_d(n)) = \eta_m, \eta_{m-1}, \dots, \eta_1. \quad (6.1)$$

Figure 6.1 illustrates that  $\mathbf{C}_4(8)$  is a fixed-density de Bruijn sequence for  $\mathbf{B}_4(8)$ , and this section proves this result in general. To simplify our presentation, we define an additional circular string  $\mathbf{D}_d(n)$  as the concatenation of the necklaces of length  $n$  and density  $d$  without first reducing each necklace to its aperiodic prefix. That is,

$$\mathbf{D}_d(n) = \eta_1 \cdot \eta_2 \cdots \eta_m \text{ where } \text{cool}(\mathbf{N}_d(n)) = \eta_m, \eta_{m-1}, \dots, \eta_1. \quad (6.2)$$

Theorem 6.1 proves that  $\mathbf{D}_d(n)$  contains each string in  $\mathbf{B}_{d-1}^d(n)$  at least once, while Theorem 6.2 proves that  $\mathbf{C}_d(n)$  contains each string in  $\mathbf{B}_{d-1}^d(n)$  exactly once. Let  $\text{prev}(\alpha)$  denote the necklace before  $\alpha$  in cool-lex order. That is,  $\text{next}(\text{prev}(\alpha)) = \alpha$ .




FIG. 6.1. *Concatenating the aperiodic prefix in (b) of the necklaces of length 8 and density 4 in reverse cool-lex order in (a) creates the “cool-daddy” fixed-density de Bruijn sequence  $\mathbf{C}_4(8)$  in (c). The substrings of the cycle are the  $\binom{8}{4} = 70$  strings in  $\mathbf{B}_3^4(7)$ .*

THEOREM 6.1. *The string  $\mathbf{D}_d(n)$  contains each string in  $\mathbf{B}_{d-1}^d(n-1)$  as a substring when  $1 < d < n$ .*

*Proof.* Let  $\mathbf{pq} \in \mathbf{B}_{d-1}^d(n-1)$  be such that  $\mathbf{qxp} \in \mathbf{N}_d(n)$  where  $x \in \{0, 1\}$ . Our goal is to demonstrate a necklace  $\alpha \in \mathbf{N}_d(n)$  such that  $\mathbf{pq}$  is a substring of  $\text{next}(\alpha) \cdot \alpha \in \mathbf{U}(n, d)$ . Specifically, we will provide  $\alpha$  with prefix  $\mathbf{q}$  such that  $\text{next}(\alpha)$  has suffix  $\mathbf{p}$ . As a special case, if  $\mathbf{p}$  or  $\mathbf{q}$  is empty then clearly we can let  $\alpha = \mathbf{qxp}$ . If  $\mathbf{q}$  has prefix  $0^s 1^t 0$  where  $s, t > 0$ , then  $\alpha = \mathbf{qxp}$  ( $\text{next}(\alpha)$  is obtained from (5.1b) or (5.1c)). Otherwise,

since  $\mathbf{qxp}$  is a necklace, we can assume that  $\mathbf{q} = 0^s 1^t$  where  $s > 0$  and  $t \geq 0$ . For this remaining case we consider the two possible values for  $x$  separately and assume that  $\mathbf{qp}$  has maximal prefix  $0^i 1^j$  where  $i, j > 0$ .

Assume  $x = 1$ . If  $\mathbf{p} = 1^k$ , then  $\alpha = \mathbf{qxp}$  ( $\text{next}(\alpha)$  is obtained from (5.1a)). Otherwise, consider 2 cases depending on  $t$ .

- ▷  $t \geq 1$ : Transpose the first 10 to 01 in  $\mathbf{q1p}$  to obtain  $\alpha$ , which is a necklace by Lemma 5.1 ( $\text{next}(\alpha)$  is obtained from (5.1c)). Note that the first 10 must occur after  $\mathbf{q}$ , and hence  $\alpha$  has prefix  $\mathbf{q}$ .
- ▷  $t = 0$ : If  $\mathbf{qp} = 0^i 1^j$  then  $\alpha = \mathbf{qp1}$  ( $\text{next}(\alpha)$  is obtained from (5.1a)); otherwise obtain  $\alpha$  by inserting  $x = 1$  into position  $i + j + 2$  (after the first 10) of  $\mathbf{qp}$  ( $\text{next}(\alpha)$  is obtained from (5.1c)).

Assume  $x = 0$ . Again we consider 2 cases depending on  $t$ .

- ▷  $t \geq 1$ : Obtain  $\alpha$  by inserting  $x = 0$  into  $\mathbf{qp}$  as far right as possible up to position  $i + j + 1$  so that the resulting string is a necklace ( $\text{next}(\alpha)$  is obtained from (5.1b)). Note that the 0 will be inserted after  $\mathbf{q}$  since  $\mathbf{q0p}$  is a necklace.
- ▷  $t = 0$ : If it is possible to insert  $x = 0$  past the first 1 in  $\mathbf{qp}$  to obtain a necklace, then apply  $\alpha$  as described when  $t \geq 1$ . Otherwise, construct  $\alpha$  so that  $\text{next}(\alpha) = \mathbf{q0p}$ . Observe that  $\alpha$  has prefix  $\mathbf{q}$  and  $\text{next}(\alpha)$  is obtained by (5.1b).

□

**THEOREM 6.2.** *The string  $\mathbf{C}_d(n)$  is a fixed-density de Bruijn sequence for  $\mathbf{B}_d(n)$  when  $1 < d < n$ .*

*Proof.* Since  $\mathbf{C}_d(n)$  has the correct length of  $\binom{n}{d}$ , we need only show that every string in  $\mathbf{B}_{d-1}^d(n)$  appears as a substring in  $\mathbf{C}_d(n)$ . From Theorem 6.1, this means that we need only show that every substring in  $\mathbf{D}_d(n)$  of length  $n-1$  is also a substring in  $\mathbf{C}_d(n)$ . For this reason, let us consider an arbitrary periodic necklace  $\mathbf{N}_d(n)$  of the form  $\gamma^k$  where  $\gamma$  is the aperiodic prefix. Since consecutive necklaces cannot both be periodic by Lemma 5.2, we must show that each length  $n-1$  substring of  $\text{next}(\gamma^k) \cdot \gamma^k \cdot \text{prev}(\gamma^k)$  is also a substring of  $\text{next}(\gamma^k) \cdot \gamma \cdot \text{prev}(\gamma^k)$ . This can be verified by applying the iterative cool-lex rules and considering two cases for  $\gamma$  where  $s, t > 0$  and  $\omega$  is non-empty:

- ▷  $\gamma = 0^s 1^t$        $\text{next}(\gamma^k) \cdot \gamma \cdot \text{prev}(\gamma^k) = \dots 0^{s-1} 1^t \gamma^{k-2} \cdot \gamma \cdot 0^{s-1} 1^t \dots$
- ▷  $\gamma = 0^s 1^t 0\omega$        $\text{next}(\gamma^k) \cdot \gamma \cdot \text{prev}(\gamma^k) = \dots \gamma^{k-1} \cdot \gamma \cdot \text{prev}(\gamma^k)$ .

From this illustration, it should be clear in both cases that each length  $n-1$  substring in  $\text{next}(\gamma^k) \cdot \gamma^k \cdot \text{prev}(\gamma^k)$  will also be a substring of  $\text{next}(\gamma^k) \cdot \gamma \cdot \text{prev}(\gamma^k)$ . □

**7. Summary and Open Problems.** This paper provides an explicit fixed-density de Bruijn sequence. It is constructed by concatenating the aperiodic prefixes of fixed-density necklaces in reverse cool-lex order. An algorithm in [21] shows that this fixed-density de Bruijn sequence can be generated efficiently, with successive blocks of  $n$  bits being generated in amortized  $O(1)$ -time while using only  $O(n \log n)$ -space. In addition to these results, we also investigated the de Bruijn graph  $G(\mathbf{B}_{d-1}^d(n))$ .

We conclude with additional observations and natural open problems:

1. Suppressing the last redundant symbol of each string was also used in the construction of *shorthand universal cycles for permutations* (see the papers by Holroyd, Ruskey, and Williams [19] [10]). Which other *fixed-content* languages have shorthand universal cycles?
2. Do *density-range de Bruijn sequences* exist for any  $\mathbf{B}_c^d(n)$ ? The answer is yes for  $c = d - 1$  by Theorem 6.2, and this can be used as a base case to prove that the de Bruijn graph for  $\mathbf{B}_c^d(n)$  is strongly-connected.
3. Can density-range de Bruijn sequences be generated efficiently? As previously mentioned, fixed-density de Bruijn sequences can be efficiently generated [21].
4. The shorthand sequence of  $\mathbf{B}_{d-1}^d(n-1)$  appears in a *single-track order* when obtained from a

fixed-density de Bruijn sequence for  $\mathbf{B}_d(n)$  (see Hiltgen et al [9] for single-track Gray codes). This observation may be of interest to those who study the *middle-levels*  $\mathbf{B}_{d-1}^d(2d-1)$ ; a well-known open problem is to determine if there is a Hamming distance 1 Gray code for the middle-levels (see Savage and Winkler [20]). Which other sets of binary strings have single-track orders?

5. The longhand sequence of  $\mathbf{B}_d(n)$  appears in a special cyclic order when obtained from a fixed-density de Bruijn sequence for  $\mathbf{B}_d(n)$ : Successive strings differ by  $\sigma_n$  or  $\sigma_{n-1}$  (or both). For example, see Table 2.1 (iv). It was proven that  $\sigma_2$  and  $\sigma_n$  cannot be used to create a Gray code for  $\mathbf{B}_d(n)$  by Cheng [2]. The sufficiency of  $\sigma_{n-1}$  and  $\sigma_n$ , and the insufficiency of  $\sigma_2$  and  $\sigma_n$ , are two special cases of a general question asked in [18]: Which sets of  $\sigma_i$  are necessary and sufficient for generating a (cyclic) Gray code for  $\mathbf{B}_d(n)$ ?
6. Given the above question, what is the maximum and minimum number of  $\sigma_n$  that can result from a fixed-density de Bruijn sequence? In particular, how many are used in the cool-daddy de Bruijn sequences? For shorthand universal cycles of permutations, natural constructions exist for both the maximum and minimum number of possible  $\sigma_n$ .
7. As mentioned in Section 3, the grand-daddy de Bruijn sequence for  $\mathbf{B}(n)$  is the first de Bruijn sequence for  $\mathbf{B}(n)$  in lexicographic order. The cool-daddy de Bruijn sequences for  $\mathbf{B}_d(n)$  are neither the largest nor smallest in lexicographic order or cool-lex order. For example, 0011101011 from Figure 1.2 is bracketed by the fixed-density de Bruijn sequences 0011010111 and 1110101100 in both lexicographic and cool-lex order. What is the first fixed-density de Bruijn sequence for  $\mathbf{B}_d(n)$  in lexicographic order, and can it be constructed directly without backtracking?
8. The grand-daddy de Bruijn sequence for  $\mathbf{B}(n)$  can be constructed one bit at a time by a simple backtracking method. Is there a similar method that constructs the cool-daddy de Bruijn sequences one bit at a time?
9. The necklace-prefix algorithm creates de Bruijn sequences when using lexicographic order, and creates fixed-density de Bruijn sequences when using reverse cool-lex order. Are these orders special in this respect or are there many orders with these properties?

A final open problem is to determine the diameter (length of the longest shortest path) of the de Bruijn graph for  $\mathbf{B}_{d-1}^d(n)$ , or more generally  $\mathbf{B}_c^d(n)$ . For small values of  $n$  and  $d$  we computed the diameter of  $G(\mathbf{B}_{d-1}^d(n))$  in Table 7.1, as well as pairs of nodes that achieve the maximum diameter for each  $n$ . In Table 7.1,  $d \geq \lceil n/2 \rceil$  since  $G(\mathbf{B}_{d-1}^d(n))$  and  $G(\mathbf{B}_{n-d}^{n-d+1}(n))$  are isomorphic. A conjecture regarding the diameter of  $G(\mathbf{B}_{d-1}^d(n))$  appears in Conjecture 7.1.

CONJECTURE 7.1. *The de Bruijn graph  $G(\mathbf{B}_{d-1}^d(n))$  has maximal diameter when  $d = \lfloor n/2 \rfloor$  for  $(n \bmod 4) \equiv 3$  and  $d = \lceil n/2 \rceil$  otherwise. Moreover, this maximal diameter is given by  $\lfloor \binom{n+1}{2} / 2 \rfloor$  and is obtained by the vertices  $0^x 1^y$  and  $1^a 0^b 1^c 0^d$  where:*

$$\begin{aligned} \triangleright x &= \lfloor \frac{n-1}{2} \rfloor & y &= \lceil \frac{n-1}{2} \rceil \\ \triangleright a &= \lfloor \frac{n}{4} \rfloor & b &= \lfloor \frac{n+3}{4} \rfloor & c &= \lfloor \frac{n+2}{4} \rfloor & d &= \lfloor \frac{n-3}{4} \rfloor. \end{aligned}$$

**8. Acknowledgements.** The authors would like to thank Glenn Hurlbert and Garth Isaak for helpful discussions regarding de Bruin graphs at CANADAM 2009.

#### REFERENCES

- [1] Max A. Alekseyev and Pavel A. Pevzner. Colored de Bruijn graphs and the genome halving problem. *IEEE/ACM Transactions on Computational Biology and Bioinformatics (TCBB)*, 4(1):98–107, January 2007.

| $n$ | $d = \lceil n/2 \rceil, \dots, n-1$ | $(\alpha, \beta)$                      |
|-----|-------------------------------------|--|
| 5   | 7 7                                 | (0011, 1010)                           |
| 6   | 10 9                                | (00111, 10011)                         |
| 7   | 13 14 11                            | (000111, 100110)                       |
| 8   | 18 17 13                            | (0001111, 1100110)                     |
| 9   | 22 22 20 15                         | (00001111, 11000110)                   |
| 10  | 27 25 23 17                         | (000011111, 110001110)                 |
| 11  | 32 33 29 26 19                      | (0000011111, 1100011100)               |
| 12  | 39 37 34 29 21                      | (00000111111, 11100011100)             |
| 13  | 45 45 41 39 32 23                   | (000000111111, 111000011100)           |
| 14  | 52 49 46 43 35 25                   | (0000001111111, 1110000111100)         |
| 15  | 59 60 55 53 47 38 27                | (00000001111111, 11100001111000)       |
| 16  | 68 65 61 58 51 41 29                | (000000011111111, 111100001111000)     |
| 17  | 76 76 71 67 62 55 44 31             | (0000000011111111, 1111000001111000)   |
| 18  | 85 81 79 76 66 59 47 33             | (00000000111111111, 11110000011111000) |

TABLE 7.1

Diameter of  $G(\mathbf{B}_{d-1}^d(n))$  for  $n \leq 18$ . The  $(\alpha, \beta)$  pairs give strings at maximum distance for each  $n$ .

- [2] Yongxi Cheng. Generating combinations by three basic operations. *Journal of Computer Science and Technology*, 22(6):909–913, 2007.
- [3] F. Chung, P. Diaconis, and R.L. Graham. Universal cycles for combinatorial structures. *Discrete Mathematics*, 110:43–59, 1992.
- [4] N.G. de Bruijn. A combinatorial problem. *Koninkl. Nederl. Acad. Wetensch. Proc. Ser. A*, 49:758–764, 1946.
- [5] N.G. de Bruijn. Acknowledgement of priority to c. flye sainte-marie on the counting of circular arrangements of  $2n$  zeros and ones that show each  $n$ -letter word exactly once. *T.H. Report 75-WSK-06*, Technological University Eindhoven, 1975. 13 pages.
- [6] Pierre Fraigniaud and Philippe Gauron. D2B: A de Bruijn based content-addressable network. *Theoretical Computer Science*, 355(1):65 – 79, 2006.
- [7] H. Fredericksen and I. J. Kessler. An algorithm for generating necklaces of beads in two colors. *Discrete Mathematics*, 61:181–188, 1986.
- [8] H. Fredericksen and J. Maiorana. Necklaces of beads in  $k$  colors and kary de Bruijn sequences. *Discrete Mathematics*, 23(3):207–210, 1978.
- [9] A.P. Hiltgen, K.G. Paterson, and M. Brandestini. Single-track Gray codes. *IEEE Transactions on Information Theory*, 42(5):1555–1561, Sept. 1996.
- [10] A. Holroyd, F. Ruskey, and A. Williams. Faster generation of shorthand universal cycles for permutations. In *CO-COON '10: Computing and Combinatorics, 16th Annual International Conference*, volume 6196 of *Lecture Notes in Computer Science*, pages 298–307, Nha Trang, Vietnam, 2010. Springer-Verlag.
- [11] G. Hurlbert, B. Jackson, and B. Stevens, editors. *Generalizations of de Bruijn Cycles and Gray Codes*, volume 309 of *Discrete Mathematics*. Elsevier, 2009.
- [12] D. E. Knuth. *The Art of Computer Programming*, volume 4 fascicle 2: Generating All Tuples and Permutations. Addison-Wesley, errata (updated 10/02/2008) edition, 2005. ISBN 0-201-85393-0.
- [13] D. E. Knuth. *The Art of Computer Programming*, volume 4 fascicle 1 - Bitwise Tricks & Techniques, Binary Decision Diagrams. Addison-Wesley, 2009. ISBN 0-321-58050-8.
- [14] C.E. Leiserson, H. Prokop, and K.H. Randall. Using de Bruijn sequences to index a 1 in a computer word, 1998. [Online; accessed June 2009].
- [15] M. H. Martin. A problem in arrangements. *Bull. Amer. Math. Soc.*, 40:859–864, 1934.
- [16] F. Ruskey, C. Savage, and T.M.Y. Wang. Generating necklaces. *J. Algorithms*, 13:414–430, 1992.
- [17] F. Ruskey, J. Sawada, and A. Williams. Binary bubble languages and cool-lex Gray codes. (*submitted*), 2010.
- [18] F. Ruskey and A. Williams. The coolest way to generate combinations. *Discrete Mathematics*, 309(17):5305–5320, September 2009.
- [19] F. Ruskey and A. Williams. An explicit universal cycle for the  $(n - 1)$ -permutations of an  $n$ -set. *ACM Transactions on Algorithms*, 6(3), June 2010.
- [20] C. Savage and P. Winkler. Monotone Gray codes and the middle levels problem. *J. Combin. Theory Ser. A*, 70(2):230–248, 1995.

- [21] J. Sawada and A. Williams. A Gray code for fixed-density necklace and Lyndon words in constant amortized time. *(submitted)*, 2010.
- [22] T. Ueda. Gray codes for necklaces. *Discrete Mathematics*, 219(1-3):235–248, 2000.
- [23] T.M.Y. Wang and C. Savage. A Gray code for necklaces of fixed density. *SIAM Journal on Discrete Mathematics*, 9(4):654–673, 1996.