

PowerBook 540c

Features

Performance
Provides Macintosh Quadra performance in an all-in-one notebook

Provides a 9.5-inch (diagonal), backlit, active-matrix, color LCD with up to thousands of colors for easy viewing Delivers cost-effective, convenient, and

fast networking capabilities through its built-in Ethernet support (also supports

LocalTalk networking)
Comes with System 7, which provides multitasking, file sharing, and TrueType fonts

Runs thousands of Macintosh applications

Innovation

Includes an integrated Apple trackpad pointing device, which gives you precise cursor control with just the touch of a finger

Provides 16-bit, CD-quality stereo sound output and built-in speakers

Uses "intelligent" battery technology, which combined with the PowerBook Control Strip software provides extremely accurate measurements of battery consumption and remaining life

Expandability
• Is upgradable to PowerPC chip

technology Includes slots for an internal modem and additional RAM (up to 36MB)

Offers a PDS slot with an optional PCMCIA expansion module, which allows the instant expansion of flash memory, hard disk space, network interfaces, wireless communications, and

Comes with the PowerBook Mobility Bundle, a combination of communications, power-management, information-management, and compatibility software designed to enhance mobile computing

The Apple PowerBook 540c is Apple's top-of-the-line color PowerBook computer. It provides a host of innovative advances in technology, design, performance, and expandability-making it the ideal system for power users on the go.


Featuring an advanced 66/33megahertz Motorola 68LC040 processor, the PowerBook 540c lets mobile users experience the true power of desktop computing-all in a system that weighs just over 7 pounds. Its full-page-width, backlit, active-matrix color display offers high contrast and lets you work with thousands of colors, while its built-in stereo speakers provide exceptional 16-bit, CD-quality stereo sound. So you can make sophisticated audiovisual pres-entations anywhere-even without taking advantage of the computer's built-in video-out capability. And for moving large amounts of data, the PowerBook 540c comes with builtin support for high-speed Ethernet networking.

The PowerBook 540c also includes a number of technology and design innovations. It features the built-in Apple trackpad, which combines ease of use with extremely precise cursor control in a durable design with no moving parts. The new

PowerBook Intelligent Batteries can provide as much as three hours of use and be recharged in less than two

Designed for easy expansion, the PowerBook 540c is upgradable to PowerPC chip technology and offers the optional PCMCIA Expansion Module. And to help make you more productive right away, the PowerBook 540c comes with the PowerBook Mobility Bundle, integrated software that lets you access network resources remotely, synchronize files, optimize battery power, work with Windows and DOS files, and more.

With its power, advanced features, and expandability, the PowerBook 540c is truly the answer for mobile users who need a highperformance color system today-and who want to take advantage of PowerPC technology in the future.





PowerBook 540c

Ordering Information

PowerBook 540c 4/320

- Order No. M2809LL/A
 PowerBook 540c computer with 4MB of RAM, built-in 1.4MB Apple SuperDrive, and internal 320MB hard disk drive Two PowerBook Intelligent Batteries
- and AC adapter
- System 7
- Complete setup, learning, and reference documentation
- Training software Limited warranty
- PowerBook Mobility Bundle

PowerBook 540c 12/320/Modem Order No. M3121LL/A

Same as Order No. M2809LL/A, but with 12MB of RAM and a Global Village 19.2-bps data, 14.4-bps fax send-andreceive modem

PowerBook 8MB Memory Expansion Kit Order No. M1913LL/A

PowerBook Intelligent Battery Order No. M1908LL/A

PowerBook AC Adapter Order No. M1910LL/A

PowerBook PCMCIA Expansion Module Order No. M2995LL/A

Apple HDI-30 SCSI Disk Adapter Order No. M2539LL/A

Apple HDI-30 SCSI System Cable Order No. M2538LL/A

Technical Specifications

66/33-MHz Motorola 68LC040 with integral memory management unit (MMU) (The two speeds refer to the internal processor and the bus interface, respectively)

4MB of RAM, expandable to 36MB using the PowerBook 8MB Expansion Kit or larger-capacity, third-party memory expansion card (70 ns, low power, self-

- Built-in Apple SuperDrive 1.4MB floppy disk drive, which uses high-density floppy disks and reads, writes, and formats Macintosh, Windows, MS-DOS, OS/2, and ProDOS disks Internal 320MB hard disk drive

- 9,5-in. (diagonal), backlit, active-matrix color display Resolution: 640 by 480 pixels with 256 colors or 640 by 400 pixels with thousands of colors
- Energy conservation: Sleeps on close User-configurable energy-conservation software via the control panel

Batteries

- Dual nickel-metal-hydride PowerBook Intelligent Batteries each provide up to four hours of use before
- Batteries recharge in two hours while computer is shut down or in sleep mode; four hours while running EverWatch battery-saver technology PowerBook Control Strip allows user to monitor time

- remaining, charge time, and battery usage Backup rechargeable lithium battery maintains RAM in sleep mode while main batteries are removed for up to

Interfaces

- One Apple Desktop Bus (ADB) port
 One Serial/LocalTalk (RS-422) port
 One high-speed Ethemet port
 One SCSI port for connecting as many as six external

- One 90-pin processor-direct slot (PDS) for connecting PDS devices or optional PowerBook PCMCIA Adapter (optional PowerBook PCMCIA Expansion Module allows use of two Type II or one Type III PCMCIA-type card)
- One slot for optional internal modem One slot for security
- Stereo sound input/output
- One RAM slot

Security

• Slot for security cable

Serial/LocalTalk port for AppleTalk
High-speed Ethernet network interface with Apple

Built-in stereo sound

CD-quality, 16-bit stereo sound capable of driving headphones or other stereo equipment Two built-in stereo speakers

Digital-to-analog and analog-to-digital conversion sampled at 11.035, 22.050, or 44.100 kHz

- Video-out port compatible with most Apple monitors, VGA monitors, and SVGA monitors; cable with standard DB-15 connector provided
- Selectable video modes: dual mode allows separate images on the built-in display and external video monitor; mirror mode displays the same image on builtin and external displays

Keyboard and Apple trackpad

Solid-state trackpad provides precise cursor control in response to the movement of the user's fingertip over its surface; sensing of movement and acceler-ation is easily adjustable through a control panel Built-in, standard-size keyboard with 76 (U.S.) or 77SO) keys, including 12 function keys

Two-level tilt adjustment

Power on key located on the keyboard

Disability access

Easy Access and ability to substitute visual cue for beep included with system software. These built-in solutions and third-party options provide alternative input and output solutions for people with disabilities.

- Electrical requirements

 Line voltage: 100 to 240 volts AC

 Frequency: 50 to 60 Hz

ADB power requirements

Maximum current draw for all ADB devices: 200 mA

- Environmental requirements

 Operating temperature: 50° to 104° F (10° to 40° C)

 Storage temperature: -13° to 140° F (-25° to 60° C)

 Relative humidity: 20% to 80% noncondensing

 Operating altitude: 1 to 10,000 ft. (0 to 3,048 m)

 Maximum storage altitude: 15,000 ft. (4,722 m)

Size and weight

- Height: 2.3 in. (5.7 cm)
 Width: 11.5 in. (29.2 cm)
 Depth: 9.7 in. (24.5 cm)
 Weight: 7.3 lb. (3.3 kg)

Apple Computer, Inc. 20525 Mariani Avenue Cupertino, CA 95014 (408) 996-1010 TLX 171-576

© 1994 Apple Computer, Inc. All rights reserved. Apple, the Apple logo, AppleTalk, LocalTalk, Macintosh, Macintosh Quadra, PowerBook, and ProDOS are trademarks of Apple Computer, Inc., registered in the U.S.A. and other countries. Apple Desktop Bus, Apple SuperDrive, Balloon Help, EverWatch, and TrueType are trademarks of Apple Computer, Inc. MS-DOS is a registered trademark of Microsoft Corporation. OS/2 is a registered trademark and PowerPC is a trademark of International Business Machines Corporation, used under license therefrom. Mention of non-Apple products is

for informational purposes only and constitutes neither an endorsement nor a recommendation. Apple assumes no responsibility with regard to the selection, performance, or use of these products. All understandings, agreements, or warranties, if any, take place directly between the vendors and the prospective users.

February 1994. Product specifications are subject to change without notice. Printed in U.S.A.